

APPENDIX UNE

TABLE OF CONTENTS

1. INTRODUCTION	3
2. TERMS AND CONDITIONS	4
3. ACCESS TO UNE CONNECTION METHODS	10
4. ADJACENT LOCATION.....	12
5. BONA FIDE REQUEST	13
6. NETWORK INTERFACE DEVICE.....	17
7. LOCAL LOOP	17
8. SUB-LOOP ELEMENTS	19
9. ENGINEERING CONTROLLED SPLICE (ECS)	24
10. PACKET SWITCHING.....	25
11. LOCAL SWITCHING	25
12. SHARED TRANSPORT	28
13. INTEROFFICE TRANSPORT	31
14. DARK FIBER.....	33
15. OPERATOR SERVICES AND DIRECTORY ASSISTANCE.....	36
16. SIGNALING NETWORKS AND CALL-RELATED DATABASES	36
17. OPERATIONS SUPPORT SYSTEMS FUNCTIONS.....	36
18. CROSS CONNECTS	36
19. RECONFIGURATION.....	39
20. RESERVATION OF RIGHTS	39
21. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS	40

APPENDIX UNE (UNBUNDLED NETWORK ELEMENTS)

1. INTRODUCTION

- 1.1 This Appendix UNE sets forth the terms and conditions pursuant to which the applicable SBC Communications Inc. (SBC)-owned Incumbent Local Exchange Carrier (ILEC) agrees to furnish CLEC with access to unbundled network elements (UNEs) for the provision by CLEC of a Telecommunications Service. ((Act, Section 251(c)(2)(B); 47 CFR § 51.305(a)(2)(vi)). For information regarding deposit, billing, payment, non-payment, disconnect, and dispute resolution, see the General Terms and Conditions of this Agreement.
- 1.2 **SBC Communications Inc. (SBC)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a SBC Illinois, Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, Michigan Bell Telephone Company d/b/a SBC Michigan, Nevada Bell Telephone Company d/b/a SBC Nevada, The Ohio Bell Telephone Company d/b/a SBC Ohio, Pacific Bell Telephone Company d/b/a SBC California, The Southern New England Telephone Company, Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, SBC Oklahoma and/or SBC Texas and/or Wisconsin Bell, Inc. d/b/a SBC Wisconsin.
- 1.3 **SBC-2STATE** - As used herein, **SBC-2STATE** means **SBC CALIFORNIA** and **SBC NEVADA**, the applicable SBC-owned ILEC(s) doing business in California and Nevada.
- 1.4 **SBC-4STATE** - As used herein, **SBC-4STATE** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, and SBC Oklahoma the applicable SBC-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.5 **SBC-7STATE** - As used herein, **SBC-7STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC CALIFORNIA** and **SBC NEVADA**, the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.6 **SBC-8STATE** - As used herein, **SBC-8STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC CALIFORNIA**, **SBC NEVADA**, and **SBC SNET** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 **SBC-10STATE** - As used herein, **SBC-10STATE** means **SBC SOUTHWEST REGION 5-STATE** and **SBC MIDWEST REGION 5-STATE** an the applicable SBC-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.8 **SBC-12STATE** - As used herein, **SBC-12STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC MIDWEST REGION 5-STATE** and **SBC-2STATE** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.9 **SBC-13STATE** - As used herein, **SBC-13STATE** means **SBC SOUTHWEST REGION 5-STATE**, **SBC MIDWEST REGION 5-STATE**, **SBC-2STATE** and **SBC SNET** the applicable SBC-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.10 **SBC ARKANSAS** - As used herein, **SBC ARKANSAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, the applicable SBC-owned ILEC doing business in Arkansas.
- 1.11 **SBC CALIFORNIA** – As used herein, **SBC CALIFORNIA** means Pacific Bell Telephone Company d/b/a SBC California, the applicable SBC-owned ILEC doing business in California.
- 1.12 **SBC KANSAS** - As used herein, **SBC KANSAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Kansas, the applicable SBC-owned ILEC doing business in Kansas.

- 1.13 **SBC ILLINOIS** - As used herein, **SBC ILLINOIS** means Illinois Bell Telephone Company d/b/a SBC Illinois, the applicable SBC-owned ILEC doing business in Illinois.
- 1.14 **SBC INDIANA** - As used herein, **SBC INDIANA** means Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, the applicable SBC-owned ILEC doing business in Indiana.
- 1.15 **SBC MICHIGAN** - As used herein, **SBC MICHIGAN** means Michigan Bell Telephone Company d/b/a SBC Michigan, the applicable SBC-owned doing business in Michigan.
- 1.16 **SBC MIDWEST REGION 5-STATE** - As used herein, **SBC MIDWEST REGION 5-STATE** means Illinois Bell Telephone Company d/b/a SBC Illinois, Indiana Bell Telephone Company Incorporated d/b/a SBC Indiana, Michigan Bell Telephone Company d/b/a SBC Michigan, The Ohio Bell Telephone Company d/b/a SBC Ohio, and/or Wisconsin Bell, Inc. d/b/a SBC Wisconsin, the applicable SBC-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.17 **SBC MISSOURI** - As used herein, **SBC MISSOURI** means Southwestern Bell Telephone, L.P. d/b/a SBC Missouri, the applicable SBC-owned ILEC doing business in Missouri.
- 1.18 **SBC NEVADA** - As used herein, **SBC NEVADA** means Nevada Bell Telephone Company d/b/a SBC Nevada, the applicable SBC-owned ILEC doing business in Nevada.
- 1.19 **SBC OHIO** - As used herein, **SBC OHIO** means The Ohio Bell Telephone Company d/b/a SBC Ohio, the applicable SBC-owned ILEC doing business in Ohio.
- 1.20 **SBC OKLAHOMA** - As used herein, **SBC OKLAHOMA** means Southwestern Bell Telephone, L.P. d/b/a SBC Oklahoma, the applicable SBC-owned ILEC doing business in Oklahoma.
- 1.21 **SBC SNET** - As used herein, **SBC SNET** means The Southern New England Telephone Company, the applicable above listed ILEC doing business in Connecticut.
- 1.22 **SBC SOUTHWEST REGION 5-STATE** - As used herein, **SBC SOUTHWEST REGION 5-STATE** means Southwestern Bell Telephone, L.P. d/b/a SBC Arkansas, SBC Kansas, SBC Missouri, SBC Oklahoma and/or SBC Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.23 **SBC TEXAS** – As used herein, **SBC TEXAS** means Southwestern Bell Telephone, L.P. d/b/a SBC Texas, the applicable SBC-owned ILEC doing business in Texas.
- 1.24 **SBC WISCONSIN** - As used herein, **SBC WISCONSIN** means Wisconsin Bell, Inc. d/b/a SBC Wisconsin, the applicable SBC-owned ILEC doing business in Wisconsin.
- 1.25 The Prices at which **SBC-13STATE** agrees to provide electronic access to its Directory Assistance (DA) database are contained in the applicable Appendix Pricing and/or the applicable Commissioned ordered tariff where stated.

2. TERMS AND CONDITIONS

- 2.1 **SBC-13STATE** and CLEC may agree to connect CLEC's facilities with **SBC-13STATE**'s network at any technically feasible point for access to UNEs for the provision by CLEC of a Telecommunications Service. (Act, Section 251(c)(2)(B); 47 CFR § 51.305(a)(2)(vi)).
- 2.2 **SBC-13STATE** will provide CLEC nondiscriminatory access to UNEs (Act, Section 251(c)(3), Act, and Section 271(c)(2)(B)(ii); 47 CFR § 51.307(a)):
 - 2.2.1 At any technically feasible point (Act, Section 251(c)(3); 47 CFR § 51.307(a));
 - 2.2.2 At the rates, terms, and conditions which are just, reasonable, and nondiscriminatory (Act, Section 251(c)(3); 47 CFR § 51.307(a));
 - 2.2.3 In a manner that allows CLEC to provide a Telecommunications Service that may be offered by means of that UNE (Act, Section 251(c)(3); 47 CFR § 51.307 (c));

- 2.2.4 In a manner that allows access to the facility or functionality of a requested UNE to be provided separately from access to other elements, and for a separate charge (47 CFR § 51.307(d));
- 2.2.5 With technical information regarding **SBC-13STATE**'s network facilities to enable CLEC to achieve access to UNEs (47 CFR § 51.307(e));
- 2.2.6 Without limitations, restrictions, or requirements on requests that would impair CLEC's ability to provide a Telecommunications Service in a manner it intends (47 CFR § 51.309(a));
- 2.2.7 In a manner that allows CLEC purchasing access to UNEs to use such UNE to provide exchange access service to itself in order to provide interexchange services to subscribers (47 CFR § 51.309(b));
- 2.2.8 Where applicable, terms and conditions of access to UNEs shall be no less favorable than terms and conditions under which **SBC-13STATE** provides such elements to itself (47 CFR § 51.313(b)).
- 2.2.9 Only to the extent it has been determined that these elements are required by the "necessary" and "impair" standards of the Act (Act, Section 251(d)(2)).
- 2.2.10 Except upon request of CLEC, **SBC-13STATE** shall not separate CLEC-requested UNEs that are currently combined. (47 CFR § 51.315(b)) **SBC-13STATE** is not prohibited from or otherwise limited in separating any UNEs not requested by CLEC or a Telecommunications Carrier, including without limitation in order to provide a UNE(s) or other **SBC-13STATE** offering(s).
- 2.3 As provided for herein, **SBC-13STATE** will permit CLEC exclusive use of an unbundled network facility for a period of time, and when CLEC is purchasing access to a feature, function, or capability of a facility, **SBC-13STATE** will provide use of that feature, function, or capability for a period of time (47 CFR § 51.309(c)).
- 2.4 **SBC-13STATE** will maintain, repair, or replace UNEs (47 CFR § 51.309(c)) as provided for in this Agreement.
- 2.5 Where technically feasible, the quality of the UNE and access to such UNE shall be at least equal to what **SBC-13STATE** provides itself or any subsidiary, affiliate, or other party (47 CFR § 51.311(a), (b)).
- 2.6 Each Party shall be solely responsible for the services it provides to its End Users and to other Telecommunications Carriers.
- 2.7 UNEs provided to CLEC under the provisions of this Appendix shall remain the property of **SBC-13STATE**.
- 2.8 **SBC-13STATE** will not connect to or combine UNEs with any non-251(c)(3) or other **SBC-13STATE** offering with the exception of tariffed Collocation services.
- 2.9 Provisioning/Maintenance of Unbundled Network Elements
 - 2.9.1 Access to UNEs is provided under this Agreement over such routes, technologies, and facilities as **SBC-13STATE** may elect at its own discretion. **SBC-13STATE** will provide access to UNEs where technically feasible. Where facilities and equipment are not available, **SBC-13STATE** shall not be required to provide UNEs. However, CLEC may request and, to the extent required by law, **SBC-13STATE** may agree to provide UNEs, through the Bona Fide Request (BFR) process.
 - 2.9.2 Subject to the terms herein, **SBC-13STATE** is responsible only for the installation, operation and maintenance of the UNEs it provides. **SBC-13STATE** is not otherwise responsible for the Telecommunications Services provided by CLEC through the use of those UNEs.
 - 2.9.3 Where UNEs provided to CLEC are dedicated to a single End User, if such UNEs are for any reason disconnected they shall be made available to **SBC-13STATE** for future provisioning needs, unless such UNE is disconnected in error. The CLEC agrees to relinquish control of any such UNE concurrent with the disconnection of a CLEC's End User's service.
 - 2.9.4 CLEC shall make available at mutually agreeable times the UNEs provided pursuant to this Appendix in order to permit **SBC-13STATE** to test and make adjustments appropriate for

maintaining the UNEs in satisfactory operating condition. No credit will be allowed for any interruptions involved during such testing and adjustments.

- 2.9.5 CLEC's use of any **SBC-13STATE** UNE, or of its own equipment or facilities in conjunction with any **SBC-13STATE** network element, will not materially interfere with or impair service over any facilities of **SBC-13STATE**, its affiliated companies or its connecting and concurring carriers involved in its services, cause damage to their plant, impair the privacy of any communications carried over their facilities or create hazards to the employees of any of them or the public. Upon reasonable written notice and opportunity to cure, **SBC-13STATE** may discontinue or refuse service if CLEC violates this provision, provided that such termination of service will be limited to CLEC's use of the UNE(s) causing the violation.
- 2.9.6 When a **SBC-13STATE** provided tariffed or resold service is replaced by CLEC's facility based service using any **SBC-13STATE** provided UNE(s), CLEC shall issue appropriate service requests, to both disconnect the existing service and connect new service to CLEC's End User. These requests will be processed by **SBC-13STATE**, and CLEC will be charged the applicable UNE service order charge(s), in addition to the recurring and nonrecurring charges for each individual UNE and cross connect ordered. Similarly, when an End User is served by one CLEC using **SBC-13STATE** provided UNEs is converted to a different CLEC's service which also uses any **SBC-13STATE** provided UNE, the requesting CLEC shall issue appropriate service requests to both disconnect the existing service and connect new service to the requesting CLEC's End User. These requests will be processed by **SBC-13STATE** and the CLEC will be charged the applicable service order charge(s), in addition to the recurring and nonrecurring charges for each individual UNE and cross connect ordered.
- 2.9.7 CLEC shall connect equipment and facilities that are compatible with the **SBC-13STATE** network elements and shall use UNEs in accordance with the applicable regulatory standards and requirements referenced in this Agreement.
- 2.9.8 UNEs may not be connected to or combined with **SBC-13STATE** access services or other **SBC-13STATE** tariffed service offerings with the exception of tariffed Collocation services where available. CLEC shall not combine or use UNEs in a manner that will impair the ability of other Telecommunications Carriers to obtain access to Unbundled Network Elements or to Interconnect with **SBC-13STATE**'s network.
- 2.10 **Performance of UNEs**
 - 2.10.1 Each UNE will be provided in accordance with **SBC-13STATE** Technical Publications or other written descriptions, if any, as changed from time to time by **SBC-13STATE** at its sole discretion.
 - 2.10.2 Nothing in this Appendix will limit either Party's ability to modify its network through the incorporation of new equipment, new software or otherwise. Each Party will provide the other Party written notice of any upgrades in its network which will materially impact the other Party's service consistent with the timelines established by the FCC in the Second Report and Order, CC Docket 96-98.
 - 2.10.3 **SBC-13STATE** may elect to conduct Central Office switch conversions for the improvement of its network. During such conversions, CLEC orders for UNEs from that switch shall be suspended for a period of three days prior and one day after the conversion date, consistent with the suspension **SBC-13STATE** places on itself for orders from its End Users.
 - 2.10.4 CLEC will be solely responsible, at its own expense, for the overall design of its telecommunications services and for any redesigning or rearrangement of its telecommunications services which may be required because of changes in facilities, operations, or procedure of **SBC-13STATE**, minimum network protection criteria, or operating or maintenance characteristics of the facilities.

2.11 New Combinations Involving UNEs

- 2.11.1 Subject to the provisions hereof and upon CLEC request, **SBC-13STATE** shall meet its combining obligations involving UNEs as and to the extent required by FCC rules and orders, and *Verizon Comm. Inc. v. FCC*, 535 U.S. _____, No. 00-511, 2002 WL 970643 (May 13, 2002) ("*Verizon Comm. Inc.*") and, to the extent not inconsistent therewith, the rules and orders of relevant State Commission and any other Applicable Law.
- 2.11.2 In the event that **SBC-13STATE** denies a request to perform the functions necessary to combine UNEs or to perform the functions necessary to combine UNEs with elements possessed by CLEC, **SBC-13STATE** shall provide written notice to CLEC of such denial and the basis thereof. Any dispute over such denial shall be addressed using the dispute resolution procedures applicable to this Agreement. If such dispute cannot be resolved to the mutual satisfaction of the parties, **SBC-13STATE** shall initiate a proceeding before the State commission for the State in which the combination is sought, to prove that such denial meets one or more applicable standards for denial, including without limitation those under the FCC rules and orders, *Verizon Comm. Inc.*, and the Agreement, including Section 2.11.1 of this Appendix.
- 2.11.3 In accordance with and subject to the provisions of this Section 2.11, including Section 2.11.3.2 and 2.11.5, the new UNE combinations set forth in the Schedule(s) – UNE Combinations attached and incorporated into this Appendix UNE shall be made available to CLEC as specified in the specific Schedule for a particular State.
- 2.11.3.1 A "Pre-existing Combination" shall not be considered a new combination involving UNEs under this Section. A Pre-existing Combination includes all orders within the definition of "Contiguous Interconnection of Network Elements."
- 2.11.3.1.1 "Contiguous Interconnection of Network Elements" means the situation when CLEC orders all the **SBC-13STATE** UNEs required either
- (1) to convert to a combinations of UNEs an **SBC-13STATE** End User customer, another carrier's pre-existing End User customer served exclusively using UNEs, or CLEC's or another carrier's resale End User customer; or
 - (2) if the Pre-Existing Combination includes a local loop UNE with unbundled local switching, to activate that Pre-Existing Combination for CLEC (a) without any change in features or functionality that was being provided at the time of the order, and/or (b) the only change needed to route the operator service and directory assistance ("OS/DA") calls from the End User customer to be served by that Pre-Existing Combination to CLEC's OS/DA platform via customized routing, and/or (c) with only changes needed in order to change a local switching feature resident and activated in the serving switch and available to the switch port class used to provide service, e.g., call waiting for residential local service, and/or (d) at the time of the order and when the order is worked by **SBC-13STATE**, the End User customer in question is not served by a line sharing arrangement as defined herein (or, if not so defined, by applicable FCC orders) or the technical equivalent, e.g., the loop facility is being used to provide both a voice service and also an xDSL service. (Section 2.11.3.1.1(2)(b) only applies to orders involving customized routing after customized routing has been established to CLEC's OS/DA platform from the relevant **SBC-13STATE** local switch, including CLEC's payment of all applicable charges to establish that routing.)
- 2.11.3.1.2 Reconfigurations under Section 19 of this Appendix UNE shall not be considered a new combination involving UNEs under this Section.

- 2.11.3.2 The parties acknowledge that the United States Supreme Court in *Verizon Comm. Inc.* relied on the distinction between an incumbent local exchange carrier such as **SBC-13STATE** being required to perform the functions necessary to combine UNEs and to combine UNEs with elements possessed by a requesting telecommunications carrier, as compared to an incumbent LEC being required to complete the actual combination. As of the Effective Date, there has been no further ruling or other guidance provided on that distinction and what functions constitute only those that are necessary to such combining. In light of that uncertainty, **SBC-13STATE** is willing to perform the actions necessary to also complete the actual physical combination for those new UNE combinations set forth in the Schedule(s) – UNE Combinations to this Appendix UNE, subject to the following:
- 2.11.3.2.1 Section 2.11, including any acts taken pursuant thereto, shall not in any way prohibit, limit or otherwise affect, or act as a waiver by, **SBC-13STATE** from pursuing any of its rights, remedies or arguments, including but not limited to those with respect to *Verizon Comm. Inc.*, the remand thereof, or any FCC or Commission or court proceeding, including its right to seek legal review or a stay of any decision regarding combinations involving UNEs. Such rights, remedies, and arguments are expressly reserved by **SBC-13STATE**. Without affecting the foregoing, this Agreement does not in any way prohibit, limit, or otherwise affect **SBC-13STATE** from taking any position with respect to combinations including UNEs or any issue or subject addressed or related thereto.
- 2.11.3.2.2 Upon the effective date of any regulatory, judicial, or legislative action setting forth, eliminating, or otherwise delineating or clarifying the extent of an incumbent LEC's UNE combining obligations, **SBC-13STATE** shall be immediately relieved of any obligation to perform any non-included combining functions or other actions under this Agreement or otherwise, and CLEC shall thereafter be solely responsible for any such non-included functions or other actions. This Section 2.11.3.2.2 shall apply in accordance with its terms, regardless of the provision found at "GENERAL TERMS AND CONDITIONS," Paragraph 21, "Intervening Law" or any similarly purposed or other provision of the Agreement and, concomitantly, the first sentence of this Section 2.11.3.2.2 shall not affect the applicability of any such provisions in situations not covered by that first sentence.
- 2.11.3.2.3 Without affecting the application of Section 2.11.3.2.2 (which shall apply in accordance with its provisions), upon notice by **SBC-13STATE**, the parties shall engage in good faith negotiations to amend the Agreement to set forth and delineate those functions or other actions that go beyond the ILEC obligation to perform the functions necessary to combine UNEs and combine UNEs with elements possessed by a requesting telecommunications carrier, and to eliminate any **SBC-13STATE** obligation to perform such functions or other actions. If those negotiations do not reach a mutually agreed-to amendment within sixty (60) days after the date of any such notice, the remaining disputes between the parties regarding those functions and other actions that go beyond those functions necessary to combine UNEs and combine UNEs with elements possessed by a requesting telecommunications carrier, shall be resolved pursuant to the dispute resolution process provided for in this Agreement. Such a notice can be given at any time, and from time to time.
- 2.11.3.3 For a new UNE combination listed on a Schedule – UNE Combinations does not imply or otherwise indicate the availability of related support system capabilities, including without

limitation, whether electronic ordering is available for any particular included new UNE combination in one or more States. Where electronic ordering is not available, manual ordering shall be used.

- 2.11.3.4 For a new UNE combination listed on a Schedule – UNE Combinations, CLEC shall issue appropriate service requests. These requests will be processed by **SBC-13STATE**, and CLEC will be charged the applicable UNE service order charge(s), in addition to the recurring and nonrecurring charges for each individual UNE and cross connect ordered.
- 2.11.3.5 Upon notice by **SBC-13STATE**, the parties shall engage in good faith negotiations to amend the Agreement to include a fee(s) for any work performed by **SBC-13STATE** in providing the new UNE combinations set forth in Schedule(s) – UNE Combinations, which work is not covered by the charges applicable per Section 2.11.3.4. For any such work that is required to be done by **SBC-13STATE** under Section 2.11.1, any such fee(s) shall be a reasonable cost-based fee, and shall be calculated using the Time and Material charges as reflected in State-specific pricing. For any such work that is not so required to be done by **SBC-13STATE**, any such fee(s) shall be at a market-based rate. If those negotiations do not reach a mutually agreed-to amendment within sixty (60) days after the date of any such notice, the remaining disputes between the parties concerning any such fee(s) shall be resolved pursuant to the dispute resolution process provided for in this Agreement. Such a notice can be given at any time, and from time to time.
- 2.11.4 In accordance with and subject to the provisions of this Section 2.11, any request not included in Section 2.11.3 in which CLEC wants **SBC-13STATE** to perform the functions necessary to combine UNEs or to perform the functions necessary to combine UNEs with elements possessed by CLEC (as well as requests where CLEC also wants **SBC-13STATE** to complete the actual combination), shall be made by CLEC in accordance with the bona fide request (BFR) process set forth in this Agreement.
 - 2.11.4.1 In any such BFR, CLEC must designate among other things the UNE(s) sought to be combined and the needed location(s), the order in which the UNEs and any CLEC elements are to be connected, and how each connection (e.g., cross-connected) is to be made between an **SBC-13STATE** UNE and the network element(s) possessed by CLEC.
 - 2.11.4.2 In addition to any other applicable charges, CLEC shall be charged a reasonable cost-based fee for any combining work that is required to be done by **SBC-13STATE** under Section 2.11.1. Such fee shall be calculated using the Time and Material charges as reflected in the State-specific Appendix Pricing. **SBC-13STATE**'s Preliminary Analysis to the BFR shall include an estimate of such fee for the specified combining. With respect to a BFR in which CLEC requests **SBC-13STATE** to perform work not required by Section 2.11.1, CLEC shall be charged a market-based rate for any such work.
- 2.11.5 Without affecting the other provisions hereof, the UNE combining obligations referenced in this Section 2.11 apply only in situations where each of the following is met:
 - 2.11.5.1 it is technically feasible, including that network reliability and security would not be impaired;
 - 2.11.5.2 **SBC-13STATE**'s ability to retain responsibility for the management, control, and performance of its network would not be impaired;
 - 2.11.5.3 **SBC-13STATE** would not be placed at a disadvantage in operating its own network;
 - 2.11.5.4 it would not impair the ability of other Telecommunications Carriers to obtain access to UNEs or to Interconnect with **SBC-13STATE**'s network; and
 - 2.11.5.5 CLEC is
 - 2.11.5.5.1 unable to make the combination itself; or

- 2.11.5.5.2 a new entrant and is unaware that it needs to combine certain UNEs to provide a telecommunications service, but such obligation under this Section 2.11.5.5 ceases if **SBC-13STATE** informs CLEC of such need to combine.
- 2.11.6 For purposes of Section 2.11.5.5 and without limiting other instances in which CLEC may be able to make a combination itself, CLEC is deemed able to make a combination itself when the UNE(s) sought to be combined are available to CLEC, including without limitation:
- 2.11.6.1 at an **SBC-13STATE** premises where CLEC is physically collocated or has an on-site adjacent collocation arrangement;
- 2.11.6.2 for **SBC CALIFORNIA** only, within an Adjacent Location arrangement (as described in Section 4 of this Appendix).
- 2.11.7 Section 2.11.5.5 shall only begin to apply thirty (30) days after notice by **SBC-13STATE** to CLEC. Thereafter, **SBC-13STATE** may invoke Section 2.11.5.5 with respect to any request for a combination involving UNEs.
- 2.11.8 Nothing in this Agreement shall impose any obligation on **SBC-13STATE** to provide UNEs, combinations of UNEs, or combinations of UNE(s) and CLEC's own elements beyond those obligations imposed by the Act, including the rules and orders of the FCC and *Verizon Comm. Inc.* and, to the extent not inconsistent therewith, the rules and orders of the relevant State Commission and any other Applicable Law. The preceding includes without limitation the following:
- 2.11.8.1 The UNE combination known as an "enhanced extended loop" or "EEL" (a combination of a UNE loop and UNE dedicated transport, with appropriate Cross-Connects, and when needed, multiplexing) shall only be provided to CLEC to the extent that the EEL is used to provide a significant amount of local exchange service to a particular End User customer [this limitation is the same as the requirements set forth in the FCC's Supplemental Order Clarification in CC Docket No. 96-98, FCC 00-183 (rel. June 2, 2000)];
- 2.11.8.2 **SBC-13STATE** will not connect to or combine UNEs with any non-251(c)(3) or other **SBC-13STATE** offerings with the exception of tariffed Collocation services;
- 2.11.8.3 **SBC-13STATE** need not provide combinations involving network elements that do not constitute required UNEs, or where UNEs are not requested for permissible purposes.

3. ACCESS TO UNE CONNECTION METHODS

- 3.1 This Section describes the connection methods under which **SBC-13STATE** agrees to provide CLECs with access on an unbundled basis to loops, switch ports, and dedicated transport and the conditions under which **SBC-13STATE** makes these methods available. These methods provide CLEC access to multiple **SBC-13STATE** UNEs which the CLEC may then combine. The methods listed below provide CLEC with access to UNEs without compromising the security, integrity, and reliability of the public switched network, as well as to minimize potential service disruptions.
- 3.1.1 Subject to availability of space and equipment, CLEC may use the methods listed below to access and combine UNE loops, switch ports, and dedicated transport within a requested **SBC-13STATE** Central Office.
- 3.1.1.1 (Method 1)
- SBC-13STATE** will extend **SBC-13STATE** UNEs requiring cross connection to the CLEC's Physical Collocation Point of Termination (POT) when the CLEC is Physically Collocated, in a caged or shared cage arrangement, within the same Central Office where the UNEs which are to be combined are located.

3.1.1.2 (Method 2)

SBC-13STATE will extend **SBC-13STATE** UNEs that require cross connection to the CLEC's UNE frame located in the common room space, other than the Collocation common area, within the same Central Office where the UNEs which are to be combined are located.

3.1.1.3 (Method 3)

SBC-13STATE will extend **SBC-13STATE** UNEs to the CLEC's UNE frame that is located outside the **SBC-13STATE** Central Office where the UNEs are to be combined in a closure such as a cabinet provided by **SBC-13STATE** on **SBC-13STATE** property.

3.2 The following terms and conditions apply to all methods when **SBC-13STATE** provides access pursuant to Sections 3.1.1.1 through 3.1.1.3:

- 3.2.1 Within ten (10) business days of receipt of a written request for access to UNEs involving three (3) or fewer Central Offices, **SBC-13STATE** will provide a written reply notifying the requesting CLEC of the method(s) of access available in the requested Central Offices. For requests impacting four (4) or more Central Offices the Parties will agree to an implementation schedule for access to UNEs.
- 3.2.2 Access to UNEs via Method 1 is only available to Physically Collocated CLECs. Access to UNEs via Method 2 and Method 3 is available to both Collocated and Non-Collocated CLECs. Method 2 and Method 3 are subject to availability of **SBC-13STATE** Central Office space and equipment.
- 3.2.3 The CLEC may cancel the request at any time, but will pay **SBC-13STATE**'s reasonable and demonstrable costs for modifying **SBC-13STATE**'s Central Office up to the date of cancellation.
- 3.2.4 CLECs may elect to access **SBC-13STATE**'s UNEs through Physical Collocation arrangements.
- 3.2.5 CLEC shall be responsible for initial testing and trouble sectionalization of facilities containing CLEC installed cross connects.
- 3.2.6 CLEC shall refer trouble sectionalized in the **SBC-13STATE** UNE to **SBC-13STATE**.
- 3.2.7 Prior to **SBC-13STATE** providing access to UNEs under this Appendix, CLEC and **SBC-13STATE** shall provide each other with a point of contact for overall coordination.
- 3.2.8 CLEC shall provide all tools and materials required to place and remove the cross connects necessary to combine and disconnect UNEs when CLEC combines or disconnects UNEs.
- 3.2.9 All tools, procedures, and equipment used by CLEC to connect to **SBC-13STATE**'s network shall comply with technical standards set out in SBC Local Exchange Carrier Technical Document TP76299MP, to reduce the risk of damage to the network and customer disruption.
- 3.2.10 CLEC shall be responsible for CLEC's personnel observing **SBC-13STATE**'s site rules and regulations, including but not limited to safety regulations and security requirements, and for working in harmony with others while present at the site. If **SBC-13STATE** for any reasonable and lawful reason requests CLEC to discontinue furnishing any person provided by CLEC for performing work on **SBC-13STATE**'s premises, CLEC shall immediately comply with such request. Such person shall leave **SBC-13STATE**'s premises promptly, and CLEC shall not furnish such person again to perform work on **SBC-13STATE**'s premises without **SBC-13STATE**'s consent.
- 3.2.11 CLEC shall provide positive written acknowledgment that the requirements stated in Section 3.2.10 have been satisfied for each employee requiring access to **SBC-13STATE** premises and/or facilities. **SBC-13STATE** identification cards will be issued for any CLEC employees who are designated by CLEC as meeting the necessary requirements for access. Entry to **SBC-13STATE** premises will be granted only to CLEC employees with such identification.
- 3.2.12 CLEC shall designate each UNE being ordered from **SBC-13STATE**. CLEC shall provide an interface to receive assignment information from **SBC-13STATE** regarding location of the extended UNEs. This interface may be manual or mechanized.

- 3.2.13 **SBC-13STATE** will provide CLEC with contact numbers as necessary to resolve assignment conflicts encountered. All contact with **SBC-13STATE** shall be referred to such contact numbers.
- 3.2.14 The CLEC shall provide its own administrative Telecommunication Service at each facility and all materials needed by CLEC at the work site. The use of cellular telephones is not permitted in **SBC-13STATE** equipment areas.
- 3.2.15 Certain construction and preparation activities may be required to modify a building or prepare the premises for access to UNEs.
- 3.2.15.1 Where applicable, costs for modifying a building or preparing the premises for access to **SBC-13STATE** UNEs will be made on an individual case basis (ICB).
- 3.2.15.2 **SBC-13STATE** will provide Access to UNEs (floor space, floor space conditioning, cage common systems materials, and safety and security charges) in increments of one (1) square foot. For this reason, **SBC-13STATE** will ensure that the first CLEC obtaining Access to UNEs in an **SBC-13STATE** premises will not be responsible for the entire cost of site preparation and security.
- 3.2.15.3 **SBC-13STATE** will contract for and perform the construction and preparation activities using same or consistent practices that are used by **SBC-13STATE** for other construction and preparation work performed in the building.

4. ADJACENT LOCATION

- 4.1* This Section describes the Adjacent Location Method for accessing UNEs. This Section also provides the conditions in which **SBC CALIFORNIA** offers the Adjacent Location Method.
- 4.2* The Adjacent Location Method allows a CLEC to access loops, switch ports, and dedicated transport for a CLEC location adjacent to a **SBC CALIFORNIA** Central Office as identified by **SBC CALIFORNIA**. Under this method **SBC CALIFORNIA** UNEs will be extended to the adjacent location, via copper cabling provided by the CLEC, which the CLEC can then utilize to provide Telecommunications Service.
- 4.3* This method requires the CLEC to provide copper cable, greater than 600 pairs, to the last manhole outside the **SBC CALIFORNIA** Central Office. The CLEC shall provide enough slack for **SBC CALIFORNIA** to pull the cable into the Central Office and terminate the cable on the Central Office Intermediate Distribution Frame (IDF).
- 4.4* The CLEC will obtain all necessary rights of way, easements, and other third party permissions.
- 4.5* The following terms and conditions apply when **SBC CALIFORNIA** provides the adjacent location:
- 4.5.1 The CLEC is responsible for Spectrum Interference and is aware that not all pairs may be ADSL or POTS capable.
- 4.6* The installation interval applies on an individual application basis. The CLEC is responsible for paying all up front charges (nonrecurring and case preparation costs) before work will begin. This assumes that all necessary permits will be issued in a timely manner.
- 4.7* The CLEC will provide the excess cable length necessary to reach the **SBC CALIFORNIA** IDF in the **SBC CALIFORNIA** Central Office where CLEC requests connection.
- 4.8* The CLEC will be responsible for testing and sectionalization of facilities from the customer's location to the entrance manhole.
- 4.9* ¹The CLEC should refer any sectionalized trouble determined to be in **SBC CALIFORNIA**'s facilities to **SBC CALIFORNIA**.

¹ * Section 4 is available only in the state of California. Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, Paragraph 2.10.1

- 4.10* The CLEC's employees, agents and contractors will be permitted to have access to the CLEC's cable where it is delivered to **SBC CALIFORNIA** (outside the entrance manhole). The CLEC is only able to enter the entrance manhole to splice under a duct lease agreement. If the CLEC leases ducts to get to the Central Office then CLEC has the right to splice the manholes on the route, including the entrance manhole.
- 4.11* In order for **SBC CALIFORNIA** to identify the entrance manhole for the CLEC, the CLEC must specify the direction from which the cable originates. **SBC CALIFORNIA** will verify that a vacant sleeve or riser duct exists at the entrance manhole. If none exists, construction of one will be required. If a vacant access sleeve or riser duct does not exist, and one must be constructed, the CLEC will pay for the construction on an Outside Plant Custom Work Order.
- 4.12* The CLEC will retain all assignment control. **SBC CALIFORNIA** will maintain TIRKS records for cable appearance information on the horizontal and vertical appearance on the **SBC CALIFORNIA** frame.
- 4.13* The CLEC will pay Time and Materials charges when **SBC CALIFORNIA** dispatches personnel and failure is in the CLEC's facility.
- 4.14* **SBC CALIFORNIA** will not assume responsibility for the quality of service provided over this special interconnection arrangement. Service quality is the responsibility of the CLEC. **SBC CALIFORNIA** limits each CLEC to two building entrances. Two entrances allow for CLEC growth or a diverse path.
- 4.15* Prior to **SBC CALIFORNIA** providing the Adjacent Location Method in this Appendix, the CLEC and **SBC CALIFORNIA** shall provide each other with a single point of contact for overall coordination.
- 4.16* The Adjacent Location Method of Accessing UNEs only allows for copper cable termination.

5. BONA FIDE REQUEST

- 5.1 This Bona Fide Request process described in Item I of this Section 5 applies to each Bona Fide Request submitted in the **SBC-10STATE** and **SBC NEVADA** Territory. The Bona Fide Request process described in Item II of this Section 5 shall apply to each Bona Fide Request submitted in the **SBC SNET** Territory and the Bona Fide Request Process described in Item III of this Section shall apply to each Bona Fide Request submitted in the **SBC CALIFORNIA** Territory. If CLEC submits the same Request in more than one Territory that requires such Request to be processed under more than one Item in this Section 5 (e.g., in Territories that have different processes), separate BFRs shall be required. For purposes of this Appendix, a "Business Day means Monday through Friday, excluding Holidays observed by **SBC-13STATE**."

5.2 Item I

SBC-10STATE, SBC NEVADA **Bona Fide Request Process**

- 5.2.1 A Bona Fide Request ("BFR") is the process by which CLEC may request **SBC-10STATE, SBC NEVADA** to (i) provide CLEC access to an additional or new, undefined UNE, that is required to be provided by **SBC-10STATE, SBC NEVADA** under the Act but is not available under this Agreement or defined in a generic appendix at the time of CLEC's request, or (ii) perform combining pursuant to Section 2.11.4 (each of (i) and (ii) referred to as a "Request").
- 5.2.2 The BFR process set forth herein does not apply to those services requested pursuant to Report & Order and Notice of Proposed Rulemaking 91-141 (rel. Oct. 19, 1992) paragraph 259 and n. 603 and subsequent rulings.
- 5.2.3 All BFRs must be submitted with a BFR Application Form in accordance with the specifications and processes set forth in the respective sections of the CLEC Handbook. Included with the Application CLEC shall provide a technical description of each requested UNE or combination, drawings when applicable, the location(s) where needed, the date required, and the projected quantity to be ordered with a 3 year forecast.
- 5.2.4 CLEC is responsible for all costs incurred by **SBC-10STATE, SBC NEVADA** to review, analyze and process a BFR. When submitting a BFR Application Form, CLEC has two options to compensate

SBC-10STATE, SBC NEVADA for its costs incurred to complete the Preliminary Analysis of the BFR:

- 5.2.4.1 Include with its BFR Application Form a \$2,000 deposit to cover **SBC-10STATE, SBC NEVADA**'s preliminary evaluation costs, in which case **SBC-10STATE, SBC NEVADA** may not charge CLEC in excess of \$2,000 to complete the Preliminary Analysis; or
- 5.2.4.2 Not make the \$2,000 deposit, in which case CLEC shall be responsible for all preliminary evaluation costs incurred by **SBC-10STATE, SBC NEVADA** to complete the preliminary Analysis (regardless of whether such costs are greater or less than \$2,000).
- 5.2.5 If CLEC submits a \$ 2,000 deposit with its BFR, and **SBC-10STATE, SBC NEVADA** is not able to process the Request or determines that the Request does not qualify for BFR treatment, then **SBC-10STATE, SBC NEVADA** will return the \$2,000 deposit to CLEC. Similarly, if the costs incurred to complete the Preliminary Analysis are less than \$2,000, the balance of the deposit will, at the option of CLEC, either be refunded or credited toward additional developmental costs authorized by CLEC.
- 5.2.6 Upon written notice, CLEC may cancel a BFR at any time, but will pay **SBC-10STATE, SBC NEVADA** its reasonable and demonstrable costs of processing and/or implementing the BFR up to and including the date **SBC-10STATE, SBC NEVADA** received notice of cancellation. If cancellation occurs prior to completion of the preliminary evaluation, and a \$2,000 deposit has been made by CLEC, and the reasonable and demonstrable costs are less than \$2,000, the remaining balance of the deposit will be, at the option of the CLEC, either returned to CLEC or credited toward additional developmental costs authorized by CLEC.
- 5.2.7 **SBC-10STATE, SBC NEVADA** will promptly consider and analyze each BFR it receives. Within ten (10) Business Days of its receipt **SBC-10STATE, SBC NEVADA** will acknowledge receipt of the BFR and in such acknowledgement advise CLEC of the need for any further information needed to process the Request. CLEC acknowledges that the time intervals set forth in this Appendix begins once **SBC-10STATE, SBC NEVADA** has received a complete and accurate BFR Application Form and, if applicable, \$2,000 deposit.
- 5.2.8 Except under extraordinary circumstances, within thirty (30) calendar days of its receipt of a complete and accurate BFR **SBC-10STATE, SBC NEVADA** will provide to CLEC a preliminary analysis of such Request (the "Preliminary Analysis"). The Preliminary Analysis will (i) indicate that **SBC-10STATE, SBC NEVADA** will offer the Request to CLEC or (ii) advise CLEC that **SBC-10STATE, SBC NEVADA** will not offer the Request. If **SBC-10STATE, SBC NEVADA** indicates it will not offer the Request, **SBC-10STATE, SBC NEVADA** will provide a detailed explanation for the denial. Possible explanations may be, but are not limited to: i) access to the Request is not technically feasible, ii) that the Request is not required to be provided by **SBC-10STATE, SBC NEVADA** under the Act and/or, iii) that the BFR is not the correct process for the request.
- 5.2.9 If the Preliminary Analysis indicates that **SBC-10STATE, SBC NEVADA** will offer the Request, CLEC may, at its discretion, provide written authorization for **SBC-10STATE, SBC NEVADA** to develop the Request and prepare a "BFR Quote". The BFR Quote shall, as applicable, include (i) the first date of availability, (ii) installation intervals, (iii) applicable rates (recurring, nonrecurring and other), (iv) BFR development and processing costs and (v) terms and conditions by which the Request shall be made available. CLEC's written authorization to develop the BFR Quote must be received by **SBC-10STATE, SBC NEVADA** within thirty (30) calendar days of CLEC's receipt of the Preliminary Analysis. If no authorization to proceed is received within such thirty (30) calendar day period, the BFR will be deemed canceled and CLEC will pay to **SBC-10STATE, SBC NEVADA** all demonstrable costs as set forth above. Any request by CLEC for **SBC-10STATE, SBC NEVADA** to proceed with a Request received after the thirty (30) calendar day window will require CLEC to submit a new BFR.

- 5.2.10 As soon as feasible, but not more than ninety (90) calendar days after its receipt of authorization to develop the BFR Quote, ~~SBC-10STATE, SBC NEVADA~~ shall provide to CLEC a BFR Quote.
- 5.2.11 Within thirty (30) calendar days of its receipt of the BFR Quote, CLEC must either (i) confirm its order pursuant to the BFR Quote (ii) cancel its BFR and reimburse ~~SBC-10STATE, SBC NEVADA~~ for its costs incurred up to the date of cancellation, or (iii) if it believes the BFR Quote is inconsistent with the requirements of the Act and/or this Appendix, exercise its rights under Section 10 of the GTC. If ~~SBC-10STATE, SBC NEVADA~~ does not receive notice of any of the foregoing within such thirty (30) calendar day period, the BFR shall be deemed canceled. CLEC shall be responsible to reimburse ~~SBC-10STATE, SBC NEVADA~~ for its costs incurred up to the date of cancellation (whether affirmatively canceled or deemed canceled by CLEC).
- 5.2.12 Unless CLEC agrees otherwise, all rates and costs quoted or invoiced herein shall be consistent with the pricing principles of the Act.
- 5.2.13 If a Party believes that the other Party is not requesting, negotiating or processing a BFR in good faith and/or as required by the Act, or if a Party disputes a determination, or price or cost quote, such Party may seek relief pursuant to the Dispute Resolution Process set forward in the General Terms and Conditions section of this agreement.

5.3* Item II

SBC SNET Bona Fide Request Process

- 5.3.1 The Bona Fide Request provisions set forth in Item I of Section 5 shall apply to BFRs submitted to **SBC SNET**, with the following exceptions:
- 5.3.2 Section 5.2.1 is amended to add the following: A CLEC may submit a BFR to request new UNEs or Combinations of UNEs provided the request is not covered by one of the following conditions:
- 5.3.2.1 The UNEs or combinations requested have not previously been identified or defined by the Department of Public Utility Control (DPUC), the Federal Communications Commission, the CLEC's approved interconnection agreement, or in the listings of combinations in Docket No. 98-02-01, DPUC Investigation into Rebundling of Telephone Company Network Elements, August 17, 1998.
- 5.3.2.2 The UNEs or combinations requested are not currently deployed by an incumbent local exchange carrier in another jurisdiction or deemed acceptable for deployment by another state commission or an industry standards body.
- 5.3.2.3 The UNEs or combinations requested are not included in a Telco tariffed offering as an existing capability or functional equivalent.
- 5.3.2.4 If the request is covered by one of the conditions listed above, **SBC SNET** will make these items generally available.
- 5.3.3 Section 5.2.4 and 5.2.5 are amended as follows: No charges apply for **SBC SNET** to prepare the Preliminary Analysis.
- 5.3.4 Section 5.2.6 is amended as follows: Cancellation charges will not apply if the written notice of cancellation is received by **SBC SNET** after **SBC SNET** submits its Preliminary Analysis to CLEC but before CLEC's request for the BFR Quote. Cancellation charges will apply after CLEC submits its request for **SBC SNET** to provide a BFR Quote, but before the BFR Quote is provided to CLEC. CLEC shall be liable for reimbursement of all actual costs in connection with developing the BFR Quote incurred up to the time **SBC SNET** receives the written notice of cancellation from CLEC. However, if **SBC SNET** receives notification from CLEC for cancellation of the BFR after receipt by

* Section 5.3 is available only in the State of Connecticut. Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, Paragraph 2.10.1.

CLEC of the BFR Quote, the cancellation charges shall not exceed the lesser of the actual costs incurred by **SBC SNET** or the estimate in the BFR Quote plus twenty percent (20%).

- 5.3.5 Section 5.2.7 is amended as follows: **SBC SNET** will promptly consider and analyze each BFR it receives. Within ten (10) Business Days of its receipt, **SBC SNET** will acknowledge receipt of the BFR and in such acknowledgement advise CLEC of the need for any further information needed to process the Request. CLEC acknowledges that the time intervals set forth in this Appendix begin once **SBC SNET** has received a complete and accurate BFR Application Form.
- 5.3.6 **SBC SNET** will apply standard tariffed Processing Fees (BFR development costs) according to the Connecticut Access Service Tariff 4.11.
- 5.3.7 For **SBC SNET**, under the Dispute Resolution Process (DRP), either Party may petition the Department for relief pursuant to its own processes and the Uniform Administrative Procedures Act regarding the issues raised during the BFR process. Upon request, a designated member of the Department staff may confer with both Parties orally or in person concerning the substance of the Parties' dispute, and may make such recommendations as he or she shall deem appropriate for consideration by both Parties to resolve expeditiously the issues in dispute. Any such participation by Department staff in such mediation shall not be construed in any subsequent proceeding as establishing precedent or any Formal position of Department on the matter in dispute.

5.4* **Item III**

Pacific Bona Fide Request Process

- 5.4.1 The Bona Fide Request provisions set forth in Item I of Section 5 shall apply to BFRs submitted to **SBC CALIFORNIA**, with the following exceptions:
- 5.4.2 Section 5.2.1 is amended as follows: A Bona Fide Request ("BFR") is the process by which CLEC may request **SBC CALIFORNIA** to provide CLEC access to an additional or new, undefined UNE, or a combination of UNEs,
- 5.4.3 Interconnection arrangement, or other (a "Request"), that is required to be provided by **SBC CALIFORNIA** under the Act but is not available under this Agreement or defined in a generic appendix at the time of CLEC's request.
- 5.4.4 Section 5.2.3 is amended as follows: All BFRs must be submitted with a BFR/Interconnection or Network Element Application Form in accordance with the specifications and processes set forth in the sections of the Handbook.
- 5.4.5 Section 5.2.8 is amended as follows: Except under extraordinary circumstances, within thirty (30) calendar days of its receipt of a complete and accurate BFR, **SBC CALIFORNIA** will provide to CLEC a Preliminary Analysis of such Request. The Preliminary Analysis will confirm that **SBC CALIFORNIA** will offer the request. The Preliminary Analysis provided by **SBC CALIFORNIA** will include cost categories (material, labor and other) and high level costs for the request. **SBC CALIFORNIA** will attempt to provide a "yes" response earlier than thirty (30) calendar days if possible. CLEC acknowledges that an earlier "yes" response will not include high level costs. The costs will be sent by the 30th calendar day. When wholesale construction is required, costs will be provided within an additional twenty-four (24) calendar days (i.e., by the 54th calendar day).
- 5.4.6 If the BFR is denied, **SBC CALIFORNIA** will notify CLEC within fifteen (15) calendar days. The reason for denial will accompany the notification. Reasons for denial may include, but are not limited to: 1) not technically feasible, 2) the BFR is not the appropriate process for the Request and there is a referral to the appropriate process, and/or 3) the Request does not qualify as a new UNE, combination of UNEs, or interconnection arrangement required by law.

* Section 5.4 is available only in the State of California. Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, Paragraph 2.10.1.

5.4.7 If **SBC CALIFORNIA** refers CLEC to an alternate process details the details of the provision of the alternate process will accompany the notification. The details may include an application form for the alternate process and other documentation required for CLEC to submit the application for the alternate process.

5.5 Bona Fide Request Ordinarily Combined Unbundled Network Elements (BFR-OC UNEs)

5.5.1 In **SBC ILLINOIS AND SBC MICHIGAN**, CLEC may avail itself of the terms and conditions set forth in the respective state tariff on file with the respective state regulatory agency addressing the BFR-OC process.

6. NETWORK INTERFACE DEVICE

- 6.1 The Network Interface Device (NID) UNE is defined as any means of interconnection of End User customer premises wiring to **SBC-13STATE**'s distribution loop facilities, such as a cross connect device used for that purpose. Fundamentally, the NID establishes the final (and official) network demarcation point between the loop and the End User's inside wire. Maintenance and control of the End User's inside wiring (on the End User's side of the NID) is under the control of the End User. Conflicts between telephone service providers for access to the End User's inside wire must be resolved by the End User. Pursuant to applicable FCC rules, **SBC-13STATE** offers nondiscriminatory access to the NID on an unbundled basis to any requesting telecommunications carrier for the provision of a telecommunications service. CLEC access to the NID is offered as specified below (**SBC-12STATE**) or by tariff (**SBC SNET**).
- 6.2 **SBC-12STATE** will permit CLEC to connect its local loop facilities to End Users' premises wiring through **SBC-12STATE**'s NID, or at any other technically feasible point.
- 6.3 CLEC may connect to the End User's premises wiring through the **SBC-12STATE** NID, as is, or at any other technically feasible point. Any repairs, upgrade and rearrangements to the NID required by CLEC will be performed by **SBC-12STATE** based on Time and Material charges. **SBC-12STATE**, at the request of CLEC, will disconnect the **SBC-12STATE** local loop from the NID, at charges reflected in the state specific Appendix Pricing.
- 6.4 With respect to multiple dwelling units or multiple-unit business premises, CLEC will connect directly with the End User's premises wire, or may connect with the End User's premises wire via **SBC-12STATE**'s NID where necessary.
- 6.5 The **SBC-12STATE** NIDs that CLEC uses under this Appendix will be existing NIDs installed by **SBC-12STATE** to serve its End Users.
- 6.6 CLEC shall not attach to or disconnect **SBC-12STATE**'s ground. CLEC shall not cut or disconnect **SBC-12STATE**'s loop from the NID and/or its protector. CLEC shall not cut any other leads in the NID.

7. LOCAL LOOP

- 7.1 Pursuant to applicable FCC rules, a local loop UNE is a dedicated transmission facility between a distribution frame (or its equivalent) in an **SBC-13STATE** Central Office and the loop demarcation point at an End User premises. Where applicable, the local loop includes all wire within multiple dwelling and tenant buildings and campuses that provides access to End User premises wiring, provided such wire is owned and controlled by **SBC-13STATE**. The local loop UNE includes all features, functions and capabilities of the transmission facility, including attached electronics (except those electronics used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), and line conditioning. The local loop UNE includes, but is not limited to DS1, DS3, fiber, and other high capacity loops to the extent required by applicable law, and where such loops are deployed in **SBC-13STATE** wire centers. CLEC agrees to operate each loop type within the technical descriptions and parameters accepted within the industry.

- 7.2 The following types of local loop UNEs will be provided at the rates, terms, and conditions set out in this Appendix (**SBC-12STATE**) or by tariff (**SBC SNET**) and in the state specific Appendix Pricing (**SBC-12STATE**) or by tariff (**SBC SNET**):
- 7.2.1 **2-Wire Analog Loop**
- 7.2.1.1 A 2-Wire analog loop is a transmission facility which supports analog voice frequency, voice band services with loop start signaling within the frequency spectrum of approximately 300 Hz and 3000 Hz.
- 7.2.1.2 If CLEC requests one or more unbundled loops serviced by Integrated Digital Loop Carrier (IDLC) **SBC-12STATE** will, where available, move the requested unbundled loop(s) to a spare, existing Physical or a universal digital loop carrier unbundled loop at no additional charge to CLEC. If, however, no spare unbundled loop is available, **SBC-12STATE** will within two (2) business days, excluding weekends and holidays, of CLEC's request, notify CLEC of the lack of available facilities.
- 7.2.2 **4-Wire Analog Loop**
- 7.2.2.1 A 4-Wire analog loop is a transmission facility that provides a non-signaling voice band frequency spectrum of approximately 300 Hz to 3000 Hz. The 4-Wire analog loop provides separate transmit and receive paths.
- 7.2.3 **2-Wire Digital Loop**
- 7.2.3.1 A 2-Wire 160 Kbps digital loop is a transmission facility which supports Basic Rate ISDN (BRI) digital exchange services. The 2-Wire digital loop 160 Kbps supports usable bandwidth up to 160 Kbps.
- 7.2.4 **4-Wire Digital Loop**
- 7.2.4.1 A 4-Wire 1.544 Mbps digital loop is a transmission facility that will support DS1 service including Primary Rate ISDN (PRI). The 4-wire digital loop 1.544 Mbps supports usable bandwidth up to 1.544 Mbps.
- 7.2.5 **DS3 Digital Loop**
- 7.2.5.1 The DS3 loop provides a digital, 45 Mbps transmission facility from the **SBC-13STATE** Central Office to the end user premises.
- 7.2.6 **OC3 Loop**
- 7.2.6.1 The OC3 155.520 Mbps loop provides an optical transmission facility from the **SBC SOUTHWEST REGION 5-STATE** and/or **SBC CALIFORNIA** central office to the end user premises. OC3 concatenated service is also available.
- 7.2.7 **OC12 Loop**
- 7.2.7.1 The OC12 622.080 Mbps loop provides an optical transmission facility from the **SBC SOUTHWEST REGION 5-STATE** and/or **SBC CALIFORNIA** central office to the end user premise. OC12 concatenated service is also available.
- 7.2.8 **OC48 Loop**
- 7.2.8.1 The OC48 2488.320 Mbps loop provides an optical transmission facility from the **SBC SOUTHWEST REGION 5-STATE** and/or **SBC CALIFORNIA** central office to the end user premise. OC48 concatenated service is also available.
- 7.3 Unbundled DS1, DS3, and/or optical loops may not be employed in combination with transport facilities to replace special access services or facilities, except consistently with the certification and other requirements of the Supplemental Order released and adopted by the FCC on November 24, 1999 in Docket No. 96-98 ("In the Matter of the Implementation of the Local Competition Provisions of the Telecommunications Act of 1996"), including but not limited to the requirement that significant local exchange traffic, in addition to exchange access service, be provided to a particular customer over the

facilities in compliance with the Supplemental Order, and with **SBC-13STATE**'s processes implementing the Supplemental Order.

8. SUB-LOOP ELEMENTS

- 8.1 **SBC-12STATE** will provide sub-loop elements as unbundled network elements as set forth in this Appendix. Other than as specifically set out elsewhere in this agreement, **SBC SNET** does not offer Subloop elements under this Agreement. Rather, Subloop elements are available as described in Section 18 of the Connecticut Service Tariff.
- 8.1.1 A sub-loop unbundled network element is defined as any portion of the loop from **SBC-12STATE**'s central office Main Distribution Frame (MDF) to the point at the customer premise that can be accessed at a terminal in **SBC-12STATE**'s outside plant. An accessible terminal is a point on the loop where technicians can access the wire or fiber within the cable without removing a splice closure to reach the wire within.
- 8.2 Definitions pertaining to the Sub-Loop:
- 8.2.1 "Dead Count" refers to those binding posts which have cable spliced to them but which cable is not currently terminated to any terminal to provide service.
- 8.2.2 "Demarcation Point" is defined as the point on the loop where the ILEC's control of the wire ceases and the subscriber's control (or on the case of some multiunit premises, the landlord's control) of the wire begins.
- 8.2.3 "Digital Subloop" May be deployed on non-loaded copper cable pairs, channels of a digital loop carrier system, channels of a fiber optic transport system or other technologies suitable for the purpose of providing 160 Kbps and 1.544 Mbps subloop transport.
- 8.2.4 "Distribution Cable" is defined as the cable from the SAI/FDI to the terminals from which an end user can be connected to the ILEC's network. "Feeder cable" is defined as that cable from the MDF to a point where it is cross connected in a SAI/FDI for neighborhood distribution.
- 8.2.5 "MDF-to-SAI/FDI" is that portion of the loop from the MDF to the SAI/FDI.
- 8.2.6 "MDF-to-Term" is that portion of the loop from the MDF to an accessible terminal.
- 8.2.7 "Network Terminating Wire (NTW)" is the service wire that connects the ILEC's distribution cable to the NID at the demarcation point.
- 8.2.8 "SAI/FDI-to-Term" is that portion of the loop from the SAI/FDI to an accessible terminal.
- 8.2.9 "SAI/FDI-to-NID" is that portion of the loop from the SAI/FDI to the Network Interface Device (NID), which is located an end user's premise.
- 8.2.10 "SPOI" is defined as a Single Point of Interconnection. When there is a single Demarcation Point in a Multi-Tenant Environment, the SPOI is the Demarcation Point and the SPOI will allow ILECs and CLECs to interconnect to wiring owned or controlled by the property owner of their agent. When there is multiple Demarcation Points in a Multi-Tenant Environment, the SPOI will allow ILECs and CLECs to interconnect to wiring that is part of the regulated network and is owned and controlled by the ILEC.
- 8.2.11 "SAI/FDI" is defined as the point in the ILEC's network where feeder cable is cross connected to the distribution cable. "SAI" is Serving Area Interface. "FDI" is Feeder Distribution Interface. The terms are interchangeable.
- 8.2.12 "Term-to-NID" is that portion of the loop from an accessible terminal to the NID, which is located at an end user's premise. Term-to-NID includes use of the Network Terminating Wire (NTW).
- 8.3 **SBC-12STATE** will offer the following subloop types:
- 8.3.1 2-Wire Analog Subloop provides a 2-wire (one twisted pair cable or equivalent) capable of transporting analog signals in the frequency range of approximately 300 to 3000 hertz (voiceband).

- 8.3.2 4-Wire Analog Subloop provides a 4-wire (two twisted pair cables or equivalent, with separate transmit and receive paths) capable of transporting analog signals in the frequency range of approximately 300 to 3000 hertz (voiceband).
- 8.3.3 4-Wire DS1 Subloop provides a transmission path capable of supporting a 1.544 Mbps service that utilizes AMI or B8ZS line code modulation.
- 8.3.4 DS3 Subloop provides DS3 service from the central office MDF to an Interconnection Panel at the RT. The loop facility used to transport the DS3 signal will be a fiber optical facility.
- 8.3.5 2-Wire / 4-Wire Analog DSL Capable Subloop that supports an analog signal based DSL technology (such as ADSL). It will have twisted copper cable that may be loaded, have more than 2,500 feet of bridged tap, and may contain repeaters.
- 8.3.6 2-Wire / 4-Wire Digital DSL Capable Subloop that supports a digital signal based DSL technology (such as HDSL or IDSL). It will have twisted copper cable that may be loaded, have more than 2,500 feet of bridged tap, and may contain repeaters.
- 8.3.7 ISDN Subloop is a 2-Wire digital offering which provides a transmission path capable of supporting a 160 Kbps, Basic Rate ISDN (BRI) service that utilizes 2B1Q line code modulation with end user capacity up to 144 Kbps.
- 8.4 Left Blank Intentionally.
- 8.5 Subloops are provided “as is” unless CLEC requests loop conditioning on xDSL Subloops for the purpose of offering advanced services. xDSL subloop conditioning will be provided at the rates, terms, and conditions set out in the state specific Appendix Pricing.
- 8.6 A subloop unbundled network element is an existing spare portion of the loop that can be accessed via cross-connects at accessible terminals. An accessible terminal is a point on the loop where technicians can access the copper or fiber within the cable without removing a splice case to reach the copper or fiber within.
- 8.7 Twisted-pair Copper Subloops:
- 8.7.1 Access to terminals for twisted-pair copper subloops is defined to include:
- any technically feasible point near the customer premises accessible by a cross-connect (such as the pole or pedestal, the NID, or the minimum point of entry (MPOE) to the customer premises),
 - the Feeder Distribution Interface (FDI) or Serving Area Interface (SAI), where the “feeder” leading back to the central office and the “distribution” plant branching out to the subscribers meet,
 - the Main Distributing Frame (MDF),
 - the Terminal (underground or aerial).
- 8.8 CLEC may request access to the following twisted-pair copper subloop segments:
- | <u>FROM:</u> | <u>TO:</u> |
|--------------------------------------|---------------------------|
| 1. Main Distributing Frame | Serving Area Interface or |
| Feeder Distribution Interface | |
| 2. Main Distributing Frame | Terminal |
| 3. Serving Area Interface or | |
| Feeder Distribution Interface | Terminal |
| 4. Serving Area Interface or | |
| Feeder Distribution Interface | Network Interface Device |
| 5. Terminal | Network Interface Device |
| 6. NID | Stand Alone |
| 7. *SPOI (Single Point of Interface) | Stand Alone |

- * Provided using the BFR Process. In addition, if a CLEC requests an Interconnection Point which has not been identified, the CLEC will need to submit a BFR.

8.9 High Capacity Subloops:

8.9.1 Access to terminals for high capacity subloops is defined to include:

any technically feasible point near the customer premises accessible by a cross-connect (such as the pole or pedestal or the minimum point of entry (MPOE) to the customer premises), the Remote Terminal (RT), only when cross-connect access is available at that RT the Terminal (underground or aerial).

8.9.2 CLEC may request access to the high-capacity subloop segment between the Central Office Point of Termination (POT) and the Remote Terminal Point of Termination (POT).

8.10 Unbundled DS1 and DS3 subloops may not be utilized in combination with transport facilities to replace special access services or facilities, except consistently with the certification and other requirements of the Supplemental Order released and adopted by the FCC on November 24, 1999 in Docket No. 96-98 ("In the Matter of the Implementation of the Local Competition Provisions of the Telecommunications Act of 1996"), including but not limited to the requirement that significant local exchange traffic in addition to exchange access service, be provided to a particular customer over the facilities in compliance with the Supplemental Order, and with processes implementing the Supplemental Order.

8.11 Provisioning:

8.11.1 Connecting Facility Arrangement (CFA) assignments must be in-place prior to ordering and assigning specific subloop circuit(s).

8.11.2 Spare subloop(s) will be assigned to CLEC only when an LSR/ASR is processed. LSR/ASRs will be processed on a "first come first serve" basis.

8.12 Maintenance:

8.12.1 The Parties acknowledge that by separating switching, feeder plant and distribution plant, the ability to perform mechanized testing and monitoring of the subloop from the **SBC-12STATE** switch/testing equipment will be lost.

8.12.2 CLEC shall isolate trouble to the **SBC-12STATE** Subloop portion of the CLEC's service before reporting trouble to **SBC-12STATE**.

8.12.3 **SBC-12STATE** shall charge the CLEC a Maintenance of Service Charge (MSC) when CLEC dispatches **SBC-12STATE** on a trouble report and the fault is determined to be in the CLEC's portion of the loop. Such charges may be found in the individual state pricing appendices or tariffs.

8.12.4 Once all subloop access arrangements have been completed and balance of payment due **SBC-12STATE** is received, the CLEC may place a LSR for subloops at this location. Prices at which **SBC-12STATE** agrees to provide CLEC with Unbundled Network Elements (UNE) are contained in the state specific Appendix Pricing.

8.12.5 In the event of Catastrophic Damage to the RT, SAI/FDI, Terminal, or NID where CLEC has a SAA, **SBC-13STATE** repair forces will restore service in a non-discriminatory manner which will allow the greatest number of all customers to be restored in the least amount of time. Should the CLEC cabling require replacement, **SBC-13STATE** will provide prompt notification to CLEC for CLEC to provide the replacement cable to be terminated as necessary.

8.13 Subloop Access Arrangements:

8.13.1 Prior to ordering subloop facilities, CLEC will establish Collocation using the Collocation process as set forth in the Collocation Appendix, or will establish a Subloop Access Arrangement utilizing the Special Construction Arrangement (SCA), either of which are necessary to interconnect to the **SBC-12STATE** subloop network.

- 8.13.2 The space available for collocating or obtaining various Subloop Access Arrangements will vary depending on the existing plant at a particular location. The CLEC will initiate an SCA by submitting a Sub-loop Access Arrangement Application.
- 8.13.3 Upon receipt of a complete and correct application, **SBC-12STATE** will provide to CLEC within 30 days a written estimate for the actual construction, labor, materials, and related provisioning costs incurred to fulfill the SCA on a Time and Materials basis. When CLEC submits a request to provide a written estimate for sub-loop(s) access, appropriate rates for the engineering and other associated costs performed will be charged.
- 8.13.4 The assignment of subloop facilities will incorporate reasonable practices used to administer outside plant loop facilities. For example, where SAI/FDI interfaces are currently administered in 25 pair cable complements, this will continue to be the practice in assigning and administering subloop facilities.
- 8.13.5 Subloop inquiries do not serve to reserve subloop(s).
- 8.13.6 Several options exist for Collocation or Subloop Access Arrangements at technically feasible points. Sound engineering judgment will be utilized to ensure network security and integrity. Each situation will be analyzed on a case-by-case basis.
- 8.13.7 CLEC will be responsible for obtaining rights of way from owners of property where **SBC-12STATE** has placed the equipment necessary for the SAA prior to submitting the request for SCA.
- 8.13.8 Prior to submitting the Sub-loop Access Arrangement Application for SCA, the CLEC should have the "Collocation" and "Poles, Conduit, and Row" appendices in the Agreement to provide the guidelines for both CLEC and ILEC to successfully implement subloops, should collocation, access to poles/conduits or rights of way be required.
- 8.13.9 Except as set forth below in this Section 8.13.9, construction of the Subloop Access Arrangement shall be completed within 90 days of CLEC submitting to **SBC-12STATE** written approval and payment of not less than 50% of the total estimated construction costs and related provisioning costs after an estimate has been accepted by the carrier and before construction begins, with the balance payable upon completion. **SBC-12STATE** will not begin any construction under the SCA until the CLEC has provided proof that it has obtained necessary rights of way as defined in Section 8.13.7. In the event CLEC disputes the estimate for an SAA in accordance with the dispute resolution procedures set forth in the General Terms and Conditions, Section 10, of this Agreement, **SBC-12STATE** will proceed with construction of the SAA upon receipt from CLEC of notice of the dispute and not less than fifty percent (50%) of the total estimated costs, with the balance payable by CLEC upon completion of the SAA. Such payments may be subject to any "true-up", if applicable, upon resolution of the dispute in accordance with the Dispute Resolution procedures.
- 8.13.10 Upon completion of the construction activity, the CLEC will be allowed to test the installation with a **SBC-12STATE** technician. If the CLEC desires test access to the SAA, the CLEC should place its own test point in its cable prior to cable entry into **SBC-12STATE**'s interconnection point.
- 8.13.11 A non-binding CLEC forecast shall be required as a part of the request for SAA, identifying the subloops required for line-shared and non line-shared arrangements to each subtending SAI. This will allow **SBC-12STATE** to properly engineer access to each SAI and to ensure **SBC-12STATE** does not provide more available terminations than the CLEC expects to use.
- 8.13.12 In order to maximize the availability of terminations for all CLECs, the CLEC shall provide CFA for their subloop pairs utilizing the same 25-pair binder group. The CLEC would begin utilizing the second 25-pair binder group once the first 25-pair binder group reached its capacity.
- 8.13.13 Unused CLEC terminations (in normal splicing increments such as 25-pair at a SAI/FDI) which remain unused for a period of one year after the completion of construction shall be subject to removal at CLEC expense.

- 8.13.14 In the event a CLEC elects to discontinue use of an existing SAA, or abandons such arrangement, CLEC shall pay **SBC-12STATE** for removal of their facilities from the SAA.
- 8.14 Subloop Access Arrangement (SAA) Access Points:
- 8.14.1 SAI/FDI or Terminal
- 8.14.1.1 CLEC cable to be terminated in a **SBC-12STATE** SAI/FDI, or Terminal, shall consist of 22 or 24-gauge copper twisted pair cable bonded and grounded to the power company Multi Grounded Neutral (MGN). Cable may be filled if buried or buried to aerial riser cable. CLEC's Aerial cables should be aircore.
- 8.14.1.2 The CLEC may elect to place their cable to within 3 feet of the SAA site and coil up an amount of cable, defined by the engineer in the design phase, that **SBC-12STATE** will terminate on available binding posts in the SAI/FDI or Terminal.
- 8.14.1.3 The CLEC may "stub" up a cable at a prearranged meet point, defined during the engineering site visit, and **SBC-12STATE** will stub out a cable from the SAI/FDI or Terminal, which **SBC-12STATE** will splice to the CLEC cable at the meet point.
- 8.14.1.4 Dead counts will be offered as long as they have not been placed for expansion **purposes** planned within the 12-month period beginning on the date of the inquiry LSR.
- 8.14.1.5 Exhausted termination points in a SAI/FDI - When a SAI/FDI's termination points are all terminated to assignable cable pairs, **SBC-12STATE** may choose to increase capacity of the SAI/FDI by the method of it's **choice**, for which the CLEC will be charged a portion of the expense to be determined with the engineer, for the purpose of allowing the CLEC to terminate it's cable at the SAI/FDI.
- 8.14.1.6 Exhausted Termination Points in a Terminal- When a terminal's termination points are all terminated to assignable cable pairs, **SBC-13STATE** may choose to increase the capacity of the Terminal or to construct an adjacent termination facility to accommodate the CLEC facilities for which the CLEC will be charged.
- 8.15 Relocation of Existing ILEC/CLEC Facilities involved in a SAA at a RT, SAI/FDI, Terminal or NID:
- 8.15.1 **SBC-12STATE** shall notify CLEC of pending relocation as soon as **SBC-12STATE** receives such notice.
- 8.15.2 CLEC shall notify **SBC-12STATE** of it's intentions to remain, or not, in the SAA by way of a new Subloop Access Arrangement Application for a new SCA.
- 8.15.3 **SBC-12STATE** shall then provide the CLEC an estimate to terminate their facilities as part of the relocation of the site including the applicable SAA. This process may require a site visit with the CLEC and **SBC-12STATE** engineer.
- 8.15.4 CLEC shall notify **SBC-12STATE** of acceptance or rejection of the new SCA within 10 business days of it's receipt of **SBC-12STATE**'s estimate.
- 8.15.5 Upon acceptance of the **SBC-12STATE** estimate, CLEC shall pay at least 50% of the relocation costs at the same time as they notify **SBC-12STATE** of their acceptance of estimate costs.
- 8.15.6 Should CLEC decide not to continue the SAA, CLEC will notify **SBC-12STATE** as to the date that **SBC-12STATE** may remove CLEC's facilities from that SAA. CLEC will pay **SBC-12STATE** for all costs associated with the removal of the CLEC's SAA.
- 8.15.7 In the event that CLEC does not respond to **SBC-12STATE** in time to have their facilities relocated, **SBC-12STATE** shall move CLEC facilities and submit a bill for payment to the CLEC for the costs associated with the relocation. Should CLEC elect not pay this bill, then CLEC facilities will be removed from the site upon 30 days notice to the CLEC.

8.16 RT (for DS3 Subloop):

- 8.16.1 The CLEC may elect to place their cable (fiber or coax) to within 3 feet of the RT and coil up an amount of cable, defined by the engineer in the design phase, that **SBC-12STATE** will terminate on a fiber/coax interconnection block to be constructed in the RT.
- 8.16.2 The CLEC may “stub” up a cable (fiber or coax) at a prearranged meet point, defined during the engineering site visit, and **SBC-12STATE** will stub out a cable from the RT, which **SBC-12STATE** will splice to the CLEC cable at the meet point.

9. ENGINEERING CONTROLLED SPLICE (ECS)

- 9.1 Although under no obligation to do so at non-Pronto sites, as a voluntary offering, **SBC-13STATE** will also make available an Engineering Controlled Splice (ECS), which will be owned by **SBC-13STATE**, for CLECs to gain access to subloops at or near remote terminals. This voluntary service is in addition to FCC UNE Remand requirements.
- 9.2 The ECS shall be made available for Subloop Access Arrangements (SAA) utilizing the Special Construction Arrangement (SCA).
 - 9.2.1 CLEC requesting such a SCA shall pay all of the actual construction, labor, materials and related provisioning costs incurred to fulfill its SCA on a Time and Materials basis, provided that **SBC-13STATE** will construct any Subloop Access Arrangement requested by a telecommunications carrier in a cost-effective and efficient manner. If **SBC-13STATE** elects to incur additional costs for its own operating efficiencies and that are not necessary to satisfy an SCA in a cost-effective and efficient manner, the requesting telecommunications carrier will not be liable for such extra costs.
 - 9.2.2 CLEC shall be liable only for costs associated with cable pairs that it orders to be presented at an engineering controlled splice (regardless of whether the requesting carrier actually utilizes all such pairs), even if **SBC-13STATE** places more pairs at the splice.
 - 9.2.3 **SBC-13STATE** will either use existing copper or construct new copper facilities between the SAI(s) and the ECS, located in or at the remote terminal site. Although **SBC-13STATE** will construct the engineering controlled splice, the ECS maybe owned by **SBC-13STATE** or the CLEC (depending on the specific arrangement) at the option of **SBC-13STATE**.
 - 9.2.4 If more than one requesting telecommunications carrier obtains space in expanded remote terminals or adjacent structures and obtains an SAA with the new copper interface point at the ECS, the initial telecommunications carrier which incurred the costs of construction of the engineering controlled splice and/or additional copper/fiber shall be reimbursed those costs in equal proportion to the space or lines used by the requesting carriers.
 - 9.2.5 **SBC-13STATE** may require a separate SCA for each remote terminal site.
 - 9.2.6 Except as set forth below in this Section 9.2.6, written acceptance and at least 50% of payment for the SCA must be submitted at least 90 days before access to the copper subloop is to be provisioned by **SBC-13STATE**. If an augment of cabling is required between the ECS and the SAI, the interval for completion of the SCA will be determined on an individual case basis. **SBC-12STATE** will not begin any construction of the ECS until the CLEC has provided proof that it has obtained the necessary rights of way as defined in Section 9.3. In the event CLEC disputes the estimate for the ECS in accordance with the dispute resolution procedures set forth in the General Terms and Conditions, Section 10, of this Agreement, **SBC-13STATE** will proceed with construction of the ECS upon receipt from CLEC of notice of the dispute and not less than fifty percent (50%) of the total estimated costs, with the balance payable by CLEC upon completion of the ECS. Such payments may be subject to any “true-up”, if applicable, upon resolution of the dispute in accordance with the Dispute Resolution procedures.
- 9.3 CLECs will have two (2) options for implementing the ECS: a “Dedicated Facility Option” (DFO) and a “Cross-connected Facility Option” (CFO).

9.3.1 Dedicated Facility Option (DFO)

- 9.3.1.1 CLEC may request **SBC-13STATE** splice the existing cabling between the ECS and the SAI to the CLEC's SAA facility. This facility will be "dedicated" to the CLEC for subsequent subloop orders.
- 9.3.1.2 CLEC must designate the quantity of subloops they desire to access via this spliced, dedicated facility, specified by subtending SAI. This designation must differentiate cabling desired for access to the HFPL subloop from the cabling desired for access to non-line shared subloops.
- 9.3.1.3 CLECs will compensate **SBC-13STATE** for each of the dedicated subloop facilities, based on recurring subloop charges, for the quantity of subloops dedicated to the CLEC between the ECS and the SAI.

9.3.2 Cross-connected Facility Option (CFO)

- 9.3.2.1 CLEC may request **SBC-13STATE** build an ECS cross-connect junction on which to terminate CLEC's SAA facility.
- 9.3.2.2 The SCA associated with this option will include the charges associated with constructing the cross-connect device, including the termination of **SBC-13STATE** cabling between the ECS and the RT and/or SAI, and the inventorying of that **SBC-13STATE** cabling.
- 9.3.2.3 CLEC must designate the quantity of subloops they desire to access via this cross-connectable, dedicated facility, specified by subtending SAI. This designation must differentiate cabling desired for access to the HFPL subloop from the cabling desired for access to non-line shared subloops.
- 9.3.2.4 CLECs will compensate **SBC-13STATE** for the charges incurred by **SBC-13STATE** derived from the CLEC's request for the SCA.

10. PACKET SWITCHING

- 10.1 **SBC-13STATE** will provide CLEC unbundled packet switching if all of the following conditions are satisfied:

- 10.1.1 **SBC-13STATE** has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 10.1.2 There are no spare copper loops capable of supporting the xDSL services the requesting carrier seeks to offer;
- 10.1.3 **SBC-13STATE** has not permitted a requesting carrier to deploy DSLAM at the remote terminal, pedestal or environmentally controlled vault or **other** interconnection point, nor has the requesting carrier obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR §51.319(b); and
- 10.1.4 **SBC-13STATE** has deployed packet switching capability for its own use.

11. LOCAL SWITCHING

- 11.1 The Unbundled Local Switching (ULS) capability, to be provided on an unbundled basis pursuant to this Agreement, is defined as set forth in FCC Rule 51.319. Pursuant to that Rule, ULS includes:
 - 11.1.1 line-side facilities, which include the connection between a Loop termination at the Main Distribution Frame and a switch line card;
 - 11.1.2 trunk-side facilities, which include the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and

- 11.1.3 all features, functions, and capabilities of the switch available from the specific port type (line side or trunk side port), which include:
 - 11.1.3.1 the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to ILEC customers, such as a telephone number, white page listing, and dial tone;
 - 11.1.3.2 access to OS/DA and 9-1-1; and
 - 11.1.3.3 all other features that the switch provides, including custom calling, CLASS features and Centrex.

11.2 Specific Terms and Conditions for Unbundled Local Switching (ULS)

- 11.2.1 Unbundled Local Switching uses routing instructions resident in the **SBC-12STATE** switch to direct all CLEC traffic.
- 11.2.2 Vertical features, CLASS features, and other features resident in the **SBC-12STATE** switch providing the ULS port are available under ULS. Refer to state specific Appendix Pricing for **SBC-12STATE** and Section 18 of the Connecticut Service Tariff for **SBC SNET**.
- 11.2.3 **SBC-12STATE** will allow CLEC to designate the features and functions that are available on a particular ULS port to the extent such features and functions are activated in that switch or as may be requested by the Bona Fide Request process. When CLEC purchases ULS in **SBC-12STATE**, CLEC will be required to designate the features and functions that are to be activated on each ULS port.
- 11.2.4 ULS as provided by **SBC-12STATE** includes standard Central Office treatments (e.g., busy tones, vacant codes, fast busy, etc.), supervision and announcements.
- 11.2.5 **SBC-12STATE** will control congestion points such as those caused by radio station call-ins and network routing abnormalities using appropriate network capabilities. CLEC agrees to respond to **SBC-12STATE's** notifications regarding network congestion.
- 11.2.6 **SBC-12STATE** will perform testing through ULS for CLECs in the same manner and frequency that it performs for its own customers for an equivalent service.
- 11.2.7 **SBC-12STATE** will repair and restore any **SBC-12STATE** equipment that may adversely impact ULS.
- 11.2.8 **SBC-12STATE** will provide usage detail for each ULS port via on a daily basis. Refer to state specific Appendix pricing.
- 11.2.9 **SBC-12STATE** will provide CLEC the functionality of blocking calls (e.g., 900 calls, international calls (IDDD), and toll calls) by line or trunk to the extent that **SBC-12STATE** provides such blocking capabilities to its End Users and to the extent required by federal and/or State law.
- 11.2.10 At **SBC-13STATE's** discretion and upon not less than ninety (90) days' written notice to CLEC, **SBC-13STATE** may elect to discontinue providing ULS or to provide ULS at market prices to CLECs serving end-users with four or more voice grade lines within any territory (each an "exception Territory") with respect to which **SBC-13STATE** can demonstrate that, as of the date on which CLEC receives notice (the "Exception Notice Date"), **SBC-13STATE** has satisfied each of the following conditions.
 - a) A territory shall constitute an "Exception Territory" if it constitutes the service area of **SBC-13STATE** offices that both are assigned to density zone 1 and are located within one of the Top 50 Metropolitan Statistical Areas ("MSAs"). The Parties shall determine density zone assignments by reference to the NECA Tariff No. 4, in effect on January 1, 1999. The Top 50 MSAs are those listed in Appendix B of the FCC Third Report and Order and Fourth Further Notice of Proposed Rulemaking in CC Docket 96-98 ("UNE Remand Order"); and

b) In the Exception Territory where **SBC-13STATE** elects to offer the Enhanced Extended Loop (EEL) in accordance with the UNE Remand Order, the EEL would be available to the CLEC in the Exception Territory at prices which are set in accordance with the pricing standards of Section 252 of the Act. Such prices would be specified in Appendix Pricing. **SBC-13STATE** may only exercise its rights to discontinue or market-price ULS under this Section for CLEC End Users involving four or more lines.

11.2.10.1 In determining whether **SBC-13STATE** may exercise its rights under this Section in any particular case, the CLEC shall be obligated to disclose customer account detail similar to customer service records that **SBC-13STATE** provides to the CLEC through pre-ordering process.

11.2.10.2 Nothing in this Section shall preclude CLEC from using its own facilities, resold services, or any other facilities, services or serving arrangements to provide additional services to an End User customer account with respect to which **SBC-13STATE** may exercise its rights under this Section.

11.3 Customized Routing

11.3.1 Subject to switch limitations, Custom Routing is available upon CLEC request to handle Operator Services, Directory Assistance, and/or other traffic as required by state jurisdiction. CLEC will pay the customized routing charges reflected in Appendix Pricing.

11.4 Unbundled Local Switching Usage Sensitive Rate Element

11.4.1 Usage rates will apply to ULS on a per minute basis. See the Appendix Pricing for the state specific ULS rates (**SBC-12STATE**) and Section 18 of the Connecticut Service Tariff for **SBC SNET**.

11.5 Switch Ports

11.5.1 In **SBC-12STATE**, a Switch Port is a termination point in the end office switch. The charges for Switch Ports are reflected in state specific Appendix Pricing.

11.5.1.1 Line Switch Ports – SBC-12STATE

11.5.1.1.1 The Basic Analog Line Port is a line side switch connection available in either a loop or ground start signaling configuration used primarily for switched voice communications.

11.5.1.1.2 The Analog Line Port can be provisioned with Centrex-like features and capabilities. When a CLEC wants to provide the Centrex-like port, a system establishment charge is applicable to translate the common block and system features in the switch.

11.5.1.1.3 The Analog Line Port can be provisioned with two-way, one-way-out, and one-way-in, directionality for PBX business applications.

11.5.1.1.4 ISDN Basic Rate Interface (BRI) Port is a 2-wire line side switch connection which provides two 64 kbps “B” (bearer) channels for circuit switched voice and/or data and on 16 kbps “D” (delta) channel for signaling.

11.5.1.2 Trunk Side Switch Ports – SBC-12STATE

11.5.1.2.1 The Analog DID Trunk Port is a 2-wire trunk side switch port that supports Direct Inward Dialing (DID) capability for PBX business applications.

11.5.1.2.2 ISDN Primary Rate Interface (PRI) Trunk Side Port is a trunk side switch connection that provides twenty-three 64 kbps “B” channels for digital voice and data and one 64 kbps “D” channel.

11.5.1.2.3 DS1 Trunk Port is a trunk side DS1 interface intended for digital PBX business applications. Also this ULS Trunk Port is used to terminate

dedicated facilities associated with completing ULS Custom Routing calls in
SBC MIDWEST REGION 5-STATE.

11.5.2 Switch Ports are available for **SBC SNET** pursuant to the Connecticut Access Service Tariff.

11.6 **Tandem Switching**

11.6.1 Tandem Switching is defined as:

- 11.6.1.1 trunk-connect facilities, including but not limited to the connection between trunk termination at a cross-connect panel and a switch trunk card,
- 11.6.1.2 the basic switching function of connecting trunks to trunks; and
- 11.6.1.3 all technically feasible functions that are centralized in Tandem Office Switches (as distinguished from separate end-office switches), including but not limited to call recording, the routing of calls to operator services, and signaling conversion features.

11.6.2 The charges for Tandem Switching are reflected in Appendix Pricing (**SBC-12STATE**) and Section 18 of the Connecticut Service Tariff for **SBC SNET**.

12. **SHARED TRANSPORT**

12.1 The Unbundled Shared Transport capability is defined as set forth in FCC Rule 51.319.

12.1.1 **SBC-12STATE** provides access to unbundled shared transport only when purchased in conjunction with a ULS port that CLEC subscribes to for the purpose of delivering traffic from/to a CLEC End User as set forth below.

12.1.1.1 Unbundled Local Switching is provided under Section 11 of this Appendix UNE.

12.1.1.2 "ULS-ST" refers to Unbundled Local Switching with Unbundled Shared Transport in **SBC MIDWEST REGION 5-STATE**. ULS-ST is provided on a per ULS port basis.

12.1.1.3 Unbundled Network Element – Local Switching with Shared Transport is available for **SBC SNET** pursuant to the Connecticut Access Service Tariff.

12.1.2 **SBC MIDWEST REGION 5-STATE** provides to CLECs subscribing to ULS the function of shared transport (as defined in the Third Order on Reconsideration and Further Notice of Proposed Rulemaking, Implementation of the Local Competition Provisions in the Telecommunications Act of 1996, 12 FCC Rcd 12460 (1997)), as described in Paragraph 56 of Attachment 1 in the August 27, 1999 *ex parte* to the FCC in *In the Matter of the SBC/Ameritech Merger*, CC Docket No. 98-141 ("FCC Conditions").

12.1.3 ULS-ST permits the CLEC to access the interoffice network of **SBC MIDWEST REGION 5-STATE** for the origination from and completion to the associated ULS port of End User local traffic to and from **SBC MIDWEST REGION 5-STATE** switches or third-party switches. ULS-ST also permits access to that network, using Common Transport and Tandem Switching, for the origination from and completion to the associated ULS port of End User toll traffic where a PIC'd/LPIC'd Interexchange Carrier for that ULS port is not directly connected to the **SBC MIDWEST REGION 5-STATE** switch providing that ULS port. **SBC MIDWEST REGION 5-STATE** will not require use of dedicated transport or customized routing to complete calls when using ULS-ST.

12.1.4 All CLEC's local traffic between **SBC MIDWEST REGION 5-STATE** switches will use Shared Transport and all local CLEC's traffic to non-**SBC-12STATE** switches will use the transit function of Shared Transport (with this transit function being referred to as "Shared Transport-Transit"). All interexchange traffic will be routed to the interLATA (PIC) or intraLATA toll (LPIC) Interexchange Carrier, as appropriate, selected for that ULS port.

12.1.5 The Unbundled Shared Transport rate is a blend of Shared Transport and Shared Transport-Transit. **SBC-12STATE** reserves the right to seek separate rates for Shared Transport and Shared Transport-Transit in future negotiations to amend or replace this Agreement.

- 12.1.6 **SBC-12STATE**'s ability to provide ULS-ST is limited to existing switch and transmission facilities capacities of the **SBC-12STATE** network.
- 12.1.7 In providing ULS-ST, **SBC-12STATE** will use the existing **SBC-12STATE** routing tables contained in **SBC-12STATE** switches, as **SBC-12STATE** may change those tables from time to time including after CLEC purchases ULS-ST.
- 12.1.8 **SBC-12STATE** will provide SS7 signaling on interswitch calls originating from an ULS port. CLEC will be charged for the use of the **SBC-12STATE** signaling on a per-call basis.
- 12.2 Custom Routing of OS/DA with ULS-ST
 - 12.2.1 CLEC can only mix ULS-ST and custom routing within a **SBC MIDWEST REGION 5-STATE** end office switch where CLEC chooses to custom route all of its OS and/or all of its DA (OS/DA) traffic for its End Users served by **SBC MIDWEST REGION 5-STATE**'s ULS-ST ports in that **SBC MIDWEST REGION 5-STATE** end office switch. If this custom routing for OS/DA is chosen in a given **SBC MIDWEST REGION 5-STATE** end office switch, then all End Users served via ULS-ST ports in that switch will have their OS/DA traffic routed over the same custom route designated by CLEC.
 - 12.2.2 CLEC must provide **SBC MIDWEST REGION 5-STATE** routing instructions necessary to establish such custom routing of OS/DA traffic in those end offices where CLEC has End Users served via ULS-ST ports. CLEC will be charged by **SBC MIDWEST REGION 5-STATE** for the establishment of each custom route for OS or DA traffic in an end office switch.
 - 12.2.3 **SBC MIDWEST REGION 5-STATE** will direct all custom routed local OS and/or local DA calls using the Advanced Intelligence Network programming developed to be compatible with ULS-ST to a specific trunk group associated with an ULS Trunk Port or over an existing dedicated trunk group designated by CLEC.
 - 12.2.4 CLEC will request custom OS/DA routing for use with ULS-ST other than described in this Section via the Bona Fide Request process.
- 12.3 ULS-ST Usage-Sensitive Rating
 - 12.3.1 **SBC-12STATE** will charge CLEC ULS usage rates for intraswitch and interswitch traffic originating from an ULS port and for interswitch traffic terminating to an ULS port.
 - 12.3.2 **SBC-12STATE** will charge CLEC using **SBC-12STATE**'s Shared Transport a usage-sensitive Blended Transport rate in addition to the originating ULS usage-sensitive rate for local interswitch calls. The Blended Transport rate is based upon a blend of direct and tandem-routed local traffic to/from either an **SBC-12STATE** end office or to/from a non-**SBC-12STATE** end office.
 - 12.3.3 The charges for Shared Transport are reflected in Appendix Pricing (**SBC-12STATE**) and Section 18 of the Connecticut Service Tariff for **SBC SNET**.
- 12.4 Reciprocal Compensation associated with ULS-ST
 - 12.4.1 For the traffic to which reciprocal compensation applies and subject to the other provisions in this Agreement regarding reciprocal compensation:
 - 12.4.2 As to ULS-ST only, **SBC MIDWEST REGION 5-STATE** will charge CLEC using **SBC MIDWEST REGION 5-STATE**'s ULS-ST a Reciprocal Compensation rate specific to ULS-ST for interswitch local traffic originated from a ULS-ST port and terminated to a **SBC MIDWEST REGION 5-STATE** end office.
 - 12.4.3 As to ULS-ST only, CLEC will reciprocally charge **SBC MIDWEST REGION 5-STATE** for interswitch local traffic originated from a **SBC MIDWEST REGION 5-STATE** end office and terminated to an ULS-ST port at the same rate as ULS usage rate associated with ULS-ST a Reciprocal Compensation rate.

12.4.4 CLEC will be solely responsible for establishing compensation arrangements with all telecommunications carriers to which ULS-ST traffic is delivered or from which ULS-ST traffic is received, including all ULS-ST traffic carried by Shared Transport-Transit.

12.5 IntraLATA and InterLATA Toll Rate Application

12.5.1 When ULS-ST is used to make or receive interLATA (including PIC) or intraLATA (including LPIC) toll traffic and that traffic is routed through **SBC MIDWEST REGION 5-STATE** tandem switch(es) and transmission facilities, **SBC MIDWEST REGION 5-STATE** will charge usage-sensitive Common Transport and Tandem Switching Rates in addition to other applicable ULS-ST charges. However, when that traffic is routed to and/or from an Interexchange Carrier directly connected at the **SBC MIDWEST REGION 5-STATE** end office providing that ULS port, the Common Transport and Tandem Switching rates will not apply to such traffic.

12.5.2 The ULS-ST usage-sensitive charges (per minute of use) described in this Section are set forth in the Appendix Pricing.

12.6 Application of Usage Sensitive Charges for ULS-ST

12.6.1 ULS may include two usage sensitive components: originating ULS usage (ULS-O) and terminating ULS usage (ULS-T).

12.6.2 Intra Switch Calls - (calls originating and terminating in the same switch i.e., the same 11 digit Common Language Location Identifier (CLLI) end office):

12.6.2.1 CLEC will be charged ULS-O usage charges of use for a call originating from an CLEC ULS line port or trunk port that terminates to a **SBC MIDWEST REGION 5-STATE** end user line, Resale line, or any unbundled line port or trunk port which is connected to the same end office switch.

12.6.2.2 CLEC will be charged ULS-O usage charges for a Centrex-like ULS intercom call in which CLEC's End User dials from one Centrex-like station to another Centrex-like station in the same common block defined system.

12.6.2.3 **SBC MIDWEST REGION 5-STATE** will not bill ULS-T usage charges for Intraswitch calls that terminate to a CLEC ULS port.

12.6.3 Interswitch Calls - calls not originating and terminating in the same switch, i.e., not the same 11-digit Common Language Location Identifier (CLLI) end office:

12.6.3.1 Local Calls

12.6.3.1.1 General Principles

12.6.3.1.1.1 When a call originates from a CLEC ULS-ST port, CLEC will be charged ULS-O usage and SS7 signaling charges. If the call routes over **SBC MIDWEST REGION 5-STATE**'s shared transport network, CLEC will pay charges for Blended Transport usage in addition to ULS-O usage charges.

12.6.3.1.1.2 The Parties agree that, for local calls originated over ULS-ST, **SBC MIDWEST REGION 5-STATE** will not be required to record and will not bill actual tandem switching usage. Rather, CLEC will be charged the rate shown on Appendix Pricing UNE - Schedule of unbundled shared transport Prices labeled "ULS-ST Blended Transport," for each minute of use, whether or not the call actually traverses the tandem switch.

12.6.3.1.1.3 When a call terminates to a CLEC ULS-ST port, CLEC will pay ULS-T usage charges.

12.6.3.1.1.4 Illustrative Call Flows demonstrating the rate applications for ULS-ST are set forth in *Exhibit A*.

12.6.3.2 IntraLATA and InterLATA Toll Calls

12.6.3.2.1 General Principles

12.6.3.2.1.1 “1+” intraLATA calls from CLEC ULS-ST ports will be routed to the originating End User’s IntraLATA Primary Interexchange Carrier (LPIC) choice. When a “1+” interLATA call is initiated from an ULS-ST port, it will be routed to the End User’s interLATA (PIC) choice.

12.6.3.2.1.2 When an intraLATA or interLATA toll call originates from a CLEC ULS-ST port, **SBC MIDWEST REGION 5-STATE** will not charge originating access charges to CLEC or the IXC except that **SBC MIDWEST REGION 5-STATE** may bill the IXC for the access transport (FGD), in accordance with its access tariff, in cases where the IXC has chosen **SBC MIDWEST REGION 5-STATE** as its transport provider.

12.6.3.2.1.3 When an intraLATA or interLATA toll call terminates to a CLEC ULS-ST port, **SBC MIDWEST REGION 5-STATE** will not charge terminating access to CLEC or the IXC except that **SBC MIDWEST REGION 5-STATE** may bill the IXC for the access transport (FGD), in accordance with its access tariff, in cases where the IXC has chosen **SBC MIDWEST REGION 5-STATE** as its transport provider.

12.6.3.2.1.4 Illustrative Call Flows demonstrating the rate applications for ULS-ST are set forth in *Exhibit A*.

12.6.3.3 Toll Free Calls

12.6.3.3.1 When CLEC uses an ULS-ST port to initiate an intraLATA 800-type call, **SBC MIDWEST REGION 5-STATE** will perform the appropriate database query and will route the call to terminating **SBC MIDWEST REGION 5-STATE** “Success 800” subscriber. CLEC will be charged the 800 database query, ULS-O usage, and SS7 signaling charges.

12.6.3.3.2 When CLEC uses an ULS-ST port to initiate an 800-type call where the terminating port is not an **SBC MIDWEST REGION 5-STATE** “Success 800” subscriber, **SBC MIDWEST REGION 5-STATE** will perform the appropriate database query and route the call to the indicated IXC. CLEC will pay the 800 database query, ULS-O usage, and SS7 signaling charges. If 800-type call is routed using **SBC MIDWEST REGION 5-STATE** tandem, then **SBC MIDWEST REGION 5-STATE** will also charge ULS-ST Common Transport and ULS-ST Tandem Switching usage charges. **SBC MIDWEST REGION 5-STATE** will not charge originating access charges to CLEC or the IXC except that **SBC MIDWEST REGION 5-STATE** may bill the IXC for the access transport (FGD), in accordance with its access tariff, in cases where the IXC has chosen **SBC MIDWEST REGION 5-STATE** as its transport provider.

13. INTEROFFICE TRANSPORT

13.1 The Interoffice Transport (IOT) Unbundled Network Element is defined as **SBC-12STATE** interoffice transmission facilities dedicated to a particular CLEC that provide telecommunications between Wire Centers owned by **SBC-12STATE**, or requesting CLEC, or between switches owned by **SBC-12STATE** or CLEC. IOT will be provided only where such facilities exist at the time of CLEC request. Other than as

specifically set out elsewhere in this agreement, **SBC SNET** does not offer Interoffice Transport (IOT) under this agreement. Rather, IOT is available as described in Section 18 of the Connecticut Tariff FCC No. 39.

- 13.2 **SBC-12STATE** will be responsible for the engineering, provisioning, maintenance of the underlying equipment and facilities that are used to provide Interoffice Transport.

13.3 Unbundled Dedicated Transport

13.3.1 Unbundled Dedicated Transport (UDT) is an interoffice transmission path dedicated to a particular CLEC that provides telecommunications (when facilities exist and are technically feasible) between two Wire Centers or switches owned by **SBC-12STATE** or between a Wire Center or switch owned by **SBC-12STATE** and a CLEC owned or provided switch.

13.3.2 **SBC-12STATE** will provide Dedicated Transport as a point to point circuit dedicated to the CLEC at the following speeds: DS1 (1.544 Mbps), DS3 (44.736 Mbps), OC3 (155.52 Mbps) including OC3 concatenated (OC3-c), OC12 (622.08 Mbps) Including OC12 concatenated (OC12-c), and OC48 (2488.32 Mbps) including OC48 concatenated (OC48-c). **SBC-12STATE** will provide higher speeds to CLEC as they are deployed in the **SBC-12STATE** network. **SBC-12STATE** provides OCN Dedicated Transport and Entrance Facilities as point to point bit rates, when and where facilities exist.

13.3.3 UDT includes the following elements:

13.3.3.1 Interoffice Transport – a circuit between two **SBC12-STATE** Wire Centers.

13.3.3.2 Entrance Facility – a circuit from **SBC-12STATE** serving Wire Center to the CLEC's location.

13.3.3.3 Multiplexing – an option ordered in conjunction with dedicated transport which converts a circuit from higher to lower bandwidth, or from digital to voice grade. Multiplexing is only available when ordered at the same time as UDT entrance facility and/or interoffice transport.

13.3.3.4 Other Optional features are outlined in Appendix Pricing.

13.4 Diversity

13.4.1 When requested by CLEC and only where such interoffice facilities exist at the time of CLEC request, Physical diversity shall be provided for Unbundled Dedicated Transport. Physical diversity means that two circuits are provisioned in such a way that no single failure of facilities or equipment will cause a failure on both circuits.

13.4.2 **SBC-12STATE** shall provide the Physical separation between intra-office and inter-office transmission paths when technically and economically feasible. Physical diversity requested by the CLEC shall be subject to additional charges. When additional costs are incurred by **SBC-12STATE** for CLEC specific diversity. **SBC-12STATE** will advise CLEC of the applicable additional charges. **SBC-12STATE** will not process the request for diversity until CLEC accepts such charges. Any applicable performance measures will be abated from the time diversity is requested until CLEC accepts the additional charges.

13.5 Digital Cross-Connect System (DCS)

13.5.1 **SBC-12STATE** will offer Digital Cross-Connect System (DCS) as part of the unbundled dedicated transport element with the same functionality that is offered to interexchange carriers. DCS requested by CLEC shall be subject to additional charges as outlined in pricing schedule appendix.

13.6 Network Reconfiguration Service (NRS)

13.6.1 **SBC-12STATE** will offer reconfiguration service as part of the UDT element with the same functionality that is offered to interexchange carriers. Reconfiguration service requested by the CLEC shall be subject to additional charges as outlined in pricing schedule appendix.

13.7 **SBC CALIFORNIA**

13.7.1 **Cross Boundary UDT Meet Point Facilities Arrangements**

13.7.1.1 Cross Boundary UDT Facilities are arrangements that involve shared ownership of the Unbundled Dedicated Local Interconnection Facilities between **SBC CALIFORNIA** and another neighboring Incumbent Local Exchange Carrier (ILEC) **SBC CALIFORNIA** will be a willing participant in the CLEC's efforts to midspan join an UDT Facility ordered from **SBC CALIFORNIA** with one of the same ordered by the same CLEC from the neighboring ILEC. It is the responsibility of the CLEC to negotiate with each ILEC individually, and to order each piece of the Meet Point transmission facility from each individual ILEC separately in order to provide UDT from each ILEC's respective Central Office to the meet point. UDT Cross Boundary Meet Point Transmission Facilities are available at DS1 and DS3 transmission speeds and only where facilities exist and are available at the time of CLEC's order.

13.7.1.2 **Rates**: Charges applicable to Cross Boundary UDT Meet Point Facility arrangements are as follows:

13.7.1.2.1 Non Recurring Charges: 100% of **SBC CALIFORNIA** existing UDT Non Recurring Charges, i.e. service order charge, install (connect) charges, disconnect charges, etc. for its side of the facilities and without any compensation to the other ILEC. Each of these charges are found in Appendix Pricing.

13.7.1.2.2 Monthly Charges: **SBC CALIFORNIA** will charge full (100%) existing UDT monthly charges for the first (or Fixed) mile, plus 100% of the monthly charges for the additional miles in its territory. Each of these charges is found in Appendix Pricing. The additional miles are calculated by the total facility mileage multiplied by the percentage of the facilities that fall within **SBC CALIFORNIA** territory, as determined by the NECA 4 tariff. There will not be any compensation to the other ILEC.

13.7.1.2.3 **SBC CALIFORNIA**'s current intervals for the ordering and provisioning of the UDT will also be applicable to the ordering and provisioning of Cross Boundary UDT Meet Point Facilities. However, for end to end connectivity, the longer of the two ILEC's ordering and provisioning intervals will apply.

14. **DARK FIBER**

14.1 In **SBC-12STATE** Dark fiber is deployed, unlit fiber optic cable that connects two points within the incumbent LEC's network. Dark fiber is fiber that has not been activated through connection to the electronics that "light it", and thereby render it capable of carrying communications services. Other than as specifically set out elsewhere in this agreement, **SBC SNET** does not offer Dark Fiber under this agreement. Rather, Dark Fiber is available to CLECs as described in Section 18.2.1E of the Connecticut Service Tariff.

14.1.1 Dark Fiber is fiber that is spliced in all segments from end to end and would provide continuity or "light" end to end. CLEC may only subscribe to dark fiber that is considered "spare," as defined in Sections 14.4.1 and 14.5.1, below.

14.2 Interoffice Dark Fiber

14.2.1 **SBC-12STATE** will provide dark fiber in the dedicated interoffice transport segment of the network as an unbundled network element. Interoffice dark fiber is between two different **SBC-12STATE** Central Offices (CO's) and terminates on a fiber distribution frame, or equivalent, in the CO. **SBC-12STATE** will offer its dark fiber to CLEC when CLEC has collocation space in each **SBC-12STATE** CO where the requested dark fiber(s) terminate.

14.3 Loop Dark Fiber

- 14.3.1 **SBC-12STATE** will provide loop dark fiber as an unbundled network element. Loop dark fiber is a segment between a serving **SBC-12STATE** central office and an end user customer premise.

14.4 Sub-Loop Dark Fiber

- 14.4.1 **SBC-12STATE** will provide sub-loop dark fiber as an unbundled network element. Sub-loop dark fiber is a segment between:

- 14.4.1.1 The serving **SBC-12STATE** central office and a remote terminal/CEV/Hut;
or

- 14.4.1.2 a remote terminal/CEV/Hut and an end user customer premise.

- 14.4.2 Dark Fiber sub-loop segments are explicitly governed by Section 8 of this Appendix and are limited to remote terminal/CEV/Hut outlined below.

- 14.4.3 Upon receipt of a complete and correct Sub-loop Access Application, **SBC-12STATE** shall provide to CLEC within 30 days a written estimate for the actual construction, labor, materials, and related provisioning costs to be incurred to fulfill the SCA on a Time and Materials basis. CLEC agrees to pay **SBC-12STATE** appropriate rates for the engineering and other associated costs performed when CLEC submits a request to provide a written estimate for sub-loop(s).

- 14.4.4 At **SBC-12STATE** Central Offices' the dark fiber terminates on a fiber distribution frame, or equivalent, in the Central Office. CLEC access is provided pursuant Method One (Section 3.1.1.1, above) which allows for approved collocation access. The only method of access for Dark fiber is collocation.

14.5 Spare Fiber Inventory Availability and Condition

- 14.5.1 All available spare dark fiber will be provided as is. No conditioning will be offered. Spare dark fiber is fiber that is spliced in all segments, point to point but not assigned, and spare dark fiber does not include maintenance spares, fibers set aside and documented for **SBC-12STATE's** forecasted growth, defective fibers, or fibers subscribed to by other carriers. CLEC will not obtain any more than 25% of the spare dark fiber contained in the requested segment, during any two-year period.

14.6 Determining Spare Fibers:

- 14.6.1 **SBC-12STATE** will inventory dark fibers. Spare fibers do not include the following:

- 14.6.1.1 Maintenance spares. Maintenance spares shall be kept in inventory like a working fiber. Spare maintenance fibers are assigned as follows:

- Cables with 24 fibers and less: two maintenance spare fibers
- Cables with 36 and 48 fibers: four maintenance spare fibers
- Cables with 72 and 96 fibers: eight maintenance spare fibers
- Cables with 144 fibers: twelve maintenance spare fibers
- Cables with 216 fibers: 18 maintenance spares
- Cables with 288 fibers: 24 maintenance spares
- Cables with 432 fibers: 36 maintenance spares
- Cables with 864 fibers: 72 maintenance spares.

- 14.6.1.2 Defective fibers

- 14.6.1.3 **SBC-12STATE** growth fibers. Fibers documented as reserved by **SBC-12STATE** for utilization for growth within the 12 month-period following the carrier's request.

- 14.6.2 The appropriate **SBC-12STATE** engineering organization will maintain records on each fiber optic cable for which CLECs request dark fiber.

- 14.6.3 Defective fibers, if any, will be deducted from the total number of spare fibers that would otherwise be available to CLEC for use under this Agreement.
- 14.7 Quantities and Time Frames for ordering Dark Fiber:
- 14.7.1 The minimum number of fiber strands that CLEC can order is one, and fiber strands must be ordered on a strand-by-strand basis. The maximum number of fiber strands that CLEC can order is no greater than 25% of the spare facilities in the segment requested. Should spare fiber fall below 8 strands in a given location, **SBC-12STATE** will provide the remaining spares one strand at a time and no more than a quantity of 2 strands. (See definition of spare facilities set forth in Sections 14.4.1 and 14.5.1 above.)
- 14.7.2 If CLEC wishes to request dark fiber, it must submit a dark fiber facility inquiry, providing CLEC's specific point to point (A to Z) dark fiber requirements. When CLEC submits a dark fiber facility inquiry, appropriate rates for the inquiry will be charged as outlined in state specific Appendix Pricing.
- 14.7.2.1 If spare dark fiber is available, as determined under this Agreement, **SBC-12STATE** will notify CLEC and CLEC may place an Access Service Request (ASR) for the dark fiber.
- 14.7.3 Dark fiber will be assigned to CLEC only when an ASR is processed. ASRs will be processed on a first-come-first-served basis. Inquiry facility checks do not serve to reserve dark fiber. When CLEC submits the ASR, the ASR will be processed and the dark fiber facilities will be assigned. The charges which will be established as set forth in paragraph 14.6.2 will be applied.
- 14.8 Right of Revocation of Access to Dark Fiber
- 14.8.1 Should CLEC not utilize the fiber strand(s) subscribed to within the 12-month period following the date **SBC-12STATE** provided the fiber(s), **SBC-12STATE** may revoke CLEC's access to the dark fiber and recover those fiber facilities and return them to **SBC-12STATE** inventory.
- 14.8.2 **SBC-12STATE** may reclaim from the CLEC's the right to use dark fiber, whether or not the dark fiber is being utilized by CLEC, upon twelve (12) months' written notice to the CLEC. **SBC-12STATE** will provide an alternative facility for the CLEC with the same bandwidth the CLEC was using prior to reclaiming the facility. **SBC-12STATE** must also demonstrate to the CLEC that the dark fiber will be needed to meet **SBC-12STATE**'s bandwidth requirements within the 12 months following the revocation.
- 14.9 Access Methods specific to Dark Fiber
- 14.9.1 The demarcation point for dark fiber at central offices, remote terminals and customer premises will be in an **SBC-12STATE** approved splitter shelf. This arrangement allows for non-intrusive testing.
- 14.9.2 At CO's dark fiber terminates on a fiber distribution frame, or equivalent in the CO. CLEC access is provided pursuant to Method One (Section 3.1.1.1, above) which is the only method of access for dark fiber.
- 14.9.3 At remote terminals, CEVs and Huts, CLEC access to the dark fiber will be provided via the network demarcation point at the end user customer premises and via a fiber distribution frame at the remote terminal/CEV/Hut.
- 14.9.3.1 CLECs may collocate, providing collocation application and associated criteria are met, when seeking to interconnection and desire to place non-passive electronics in a remote terminal/CEV/Hut provided **SBC-12STATE** has existing and available space in these locations.
- 14.9.3.2 CLECs have two (2) options for obtaining dark fiber subloop access. Prior to ordering subloop facilities, CLEC must establish Collocation using the Collocation process as set forth in Collocation Appendix, or must establish a Subloop Access Arrangement utilizing the Special Construction Arrangement (SCA), either or which are necessary to interconnect to the **SBC-12STATE** subloop network.

14.9.3.3 The space available for collocating or obtaining various Subloop Access Arrangements will vary depending on the existing plant at a particular location. The CLEC shall initiate an SCA by submitting a Sub-loop Access Arrangement Application.

14.9.3.4 At remote terminals, CEVs and Huts, CLEC access to the dark fiber will be provided via the network demarcation point at the End User premises and via a fiber distribution frame at the remote terminal/CEV/Hut. CLEC may elect to place his cable, defined by the engineer in the design phase, that **SBC-12STATE** will terminate on available demarcation points or terminal.

14.10 Installation and Maintenance for Dark Fiber

14.10.1 **SBC-12STATE** will install demarcations and place the fiber jumpers from the fiber optic terminals to the demarcation point. CLEC will run its fiber jumpers from the demarcation point (1x2, 90-10 optical splitter) to the CLEC equipment.

15. OPERATOR SERVICES AND DIRECTORY ASSISTANCE

15.1 **SBC-13STATE** will provide access to operator service and directory assistance databases where technically feasible. (47 CFR § 51.319(g)). Operator Services and Directory Assistance (OS/DA) are available as described in Appendix DA, and Appendix OS.

16. SIGNALING NETWORKS AND CALL-RELATED DATABASES

16.1 Signaling Networks and Call-Related Databases are Network Elements that include Signaling Link Transport, Signaling Transfer Points, and Service Control Points and Call-Related Databases. Access to **SBC-13STATE**'s signaling network and call related databases on an unbundled basis will be provided as described in the following Appendices: SS7, LIDB AS, LIDB Service, 800, and AIN (refer to General Terms and Conditions, Section 46.7.2).

17. OPERATIONS SUPPORT SYSTEMS FUNCTIONS

17.1 Operations Support Systems Functions consist of pre-ordering, ordering, provisioning, maintenance and repair, and billing functions supported by **SBC-13STATE**'s databases and information. **SBC-13STATE** will provide CLEC access to its Operations Support Systems Functions as outlined in Appendix OSS.

18. CROSS CONNECTS

18.1 The cross connect is the media between the **SBC-7STATE** UNE and a CLEC designated point of access as described in various sections of this Appendix, or the media between a **SBC-7STATE** UNE and a Collocation area for the purpose of permitting the CLEC to connect the **SBC-7STATE** UNE to other UNEs or to the CLECs own facilities. Where **SBC-7STATE** has otherwise committed to connect one UNE to another UNE on behalf of CLEC, or to leave connected one UNE to another UNE on behalf of CLEC the cross connect is the media between one **SBC-7STATE** UNE and another **SBC-7STATE** UNE. Nothing in this section is a commitment to connect or leave connected any two or more UNEs.

18.2 **SBC-7STATE** will provide cross connects at the rates, terms, and conditions set forth in Appendix Pricing. Pricing for Sections 18.3, 18.4 and 18.5 for **SBC MIDWEST REGION 5-STATE** and **SBC SNET** are provided as set forth in Appendix Pricing. For all other cross-connect pricing for **SBC SNET** refer to the applicable state tariff.

18.3 The applicable Loop cross connects to point of access for the purpose of CLEC combining a **SBC-13STATE** Loop with another **SBC-13STATE** UNE are as follows:

- 18.3.1 2-Wire Analog Loop to UNE Connection Methods point of access
- 18.3.2 4 -Wire Analog Loop to UNE Connection Methods point of access
- 18.3.3 2 -Wire Digital Loop to UNE Connection Methods point of access

- 18.3.4 4 -Wire Digital Loop to UNE Connection Methods point of access
- 18.4 The applicable Unbundled Dedicated Transport cross connects to the UNE Connection Methods point of access for the purpose of CLEC combining. Unbundled Dedicated Transport to another **SBC-13STATE** UNE are as follows:
 - 18.4.1 DS-1 to UNE Connection Methods point of access
- 18.5 The applicable Switch Port cross connects to the UNE Connection Methods point of access for the purpose of CLEC combining Switch Ports to another **SBC-13STATE** UNE are as follows:
 - 18.5.1 Analog Line Port to UNE Connection Methods point of access
 - 18.5.2 ISDN Basic Rate Interface (BRI) Line Port to UNE Connection Methods point of access
 - 18.5.3 ISDN Primary Rate Interface (PRI) Trunk Port to UNE Connection Methods point of access
 - 18.5.4 Analog DID Trunk Port to UNE Connection Methods point of access
 - 18.5.5 DS-1 Trunk Port to UNE Connection Methods point of access
- 18.6 The applicable Loop cross connects for the purpose of CLEC connecting a **SBC SOUTHWEST REGION 5-STATE** and **SBC NEVADA** Loop UNE to a CLEC's Collocated facilities are as follows:
 - 18.6.1 2-Wire Analog Loop to Collocation
 - 18.6.2 2-Wire Analog Loop to Collocation (without testing)
 - 18.6.3 4-Wire Analog Loop to Collocation
 - 18.6.4 4-Wire Analog Loop to Collocation (without testing)
 - 18.6.5 2-Wire Digital Loop to Collocation
 - 18.6.6 2-Wire Digital Loop to Collocation (without testing)
 - 18.6.7 4-Wire Digital Loop to Collocation
 - 18.6.8 4-Wire Digital loop to Collocation (without testing)
 - 18.6.9 DSL Shielded Cross Connect to Collocation
 - 18.6.10 2-Wire DSL non-shielded cross connect to Collocation
 - 18.6.11 4-Wire DSL non-shielded cross connect to Collocation
- 18.7 The applicable dedicated transport cross connects for the purpose of CLEC connecting an **SBC SOUTHWEST REGION 5-STATE** and **SBC NEVADA** dedicated transport UNE to a CLEC's Collocated facilities are as follows:
 - 18.7.1 DS-1 to Collocation
 - 18.7.2 DS-3 Collocation
 - 18.7.3 OC-3 to Collocation
 - 18.7.4 OC-12 to Collocation
 - 18.7.5 OC-48 to Collocation
- 18.8 The applicable Port cross connects for the purpose of CLEC connecting an **SBC SOUTHWEST REGION 5-STATE** and Port UNE to a CLEC's Collocated facilities are as follows:
 - 18.8.1 Analog Line Port to Collocation
 - 18.8.2 ISDN Basic Rate Interface (BRI) Line Port to Collocation
 - 18.8.3 Primary Rate Interface (PRI) Trunk Port to Collocation
 - 18.8.4 Analog DID Trunk Port to Collocation
 - 18.8.5 DS- Trunk Port to Collocation

- 18.9* The applicable cross connects for the purpose of a CLEC connecting a **SBC CALIFORNIA** Loop, UDT or Port UNE to a CLEC's Collocated facility are as follows:
- 18.9.1 Voice Grade/ISDN EISCC
 - 18.9.2 DS-0 EISCC
 - 18.9.3 DS-1 EISCC
 - 18.9.4 DS-3 EISCC
 - 18.9.5 DSL Shielded Cross Connect to Collocation
- 18.10 The applicable cross connects for **SBC MIDWEST REGION 5-STATE** Loop, UDT or Port UNEs are as follows:
- 18.10.1 2-wire
 - 18.10.2 4-wire
 - 18.10.3 DS-1
 - 18.10.4 DS-3
 - 18.10.5 OC-3
 - 18.10.6 OC-12
 - 18.10.7 OC-48
 - 18.10.8 LT1
 - 18.11.8 LT3
- 18.11* The applicable Loop cross connects to the Adjacent Location Method of Accessing UNEs for the purpose of a CLEC combining a **SBC CALIFORNIA** Loop with a CLEC's own facilities for are as follows:
- 18.11.1 2 -Wire Analog Loop to Adjacent Location Method point of access
 - 18.11.2 4 -Wire Analog Loop to Adjacent Location Method point of access
 - 18.11.3 2 -Wire Digital Loop to Adjacent Location Method point of access
 - 18.11.4 4 -Wire Digital Loop to Adjacent Location Method point of access
 - 18.11.5 DSL shielded Cross Connect to Adjacent Location point of access
- 18.12* The applicable Unbundled Dedicated transport cross connects to the Adjacent Location Method of accessing UNEs for the purpose of a CLEC combining a **SBC CALIFORNIA** Unbundled Dedicated Transport with a CLEC's own facilities as follows:
- 18.12.1 DS-1 to the Adjacent Location Method point of access
- 18.13* The applicable Switch Port cross connects to the Adjacent Location Method of Accessing UNEs for the purpose of a CLEC combining a **SBC CALIFORNIA** Port with a CLEC's own facilities point of access are as follows:
- 18.13.1 -Analog Line Port to Adjacent Location Method to point of access
 - 18.13.2 -ISDN BRI Port to Adjacent Location Method to point of access
 - 18.13.3 -ISDN PRI Trunk Port to Adjacent Location Method point of access
- 18.14 Cross Connects, required for the UNE platform, from UNE Loops to UNE Ports for the purpose of combining a **SBC-7STATE** 2 -Wire Loop *with a **SBC-7STATE** Port are as follows:
- 18.14.1 -Wire Analog Loop to Analog line Port

* Sections 18.9 through 18.13 are available only in the State of California. Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS Paragraph 2.10.1

* Sections 18.9 and 18.11 through 18.13 are available only in the State of California. Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS Paragraph 2.10.1

18.14.2 -Wire Digital Loop to ISDN BRI Port

18.15 Maintenance of Elements

- 18.15.1 If trouble occurs with unbundled network elements provided by **SBC-13STATE**, CLEC will first determine whether the trouble is in CLEC's own equipment and/or facilities or those of the End User. If CLEC determines the trouble is in **SBC-13STATE**'s equipment and/or facilities, CLEC will issue a trouble report to **SBC-13STATE**.
- 18.15.2 CLEC shall pay Time and Material charges (maintenance of service charges/additional labor charges) when CLEC reports a suspected failure of a Unbundled Network Element and **SBC-13STATE** dispatches personnel to the End User's premises or an **SBC-13STATE** Central Office and trouble was not caused by **SBC-13STATE**'s facilities or equipment. Time and Material charges will include all technicians dispatched, including technicians dispatched to other locations for purposes of testing.
- 18.15.3 CLEC shall pay Time and Material charges when **SBC-13STATE** dispatches personnel and the trouble is in equipment or communications systems provided an entity by other than **SBC-13STATE** or in detariffed CPE provided by **SBC-13STATE**, unless covered under a separate maintenance agreement.
- 18.15.4 CLEC shall pay Maintenance of Service charges when the trouble clearance did not otherwise require dispatch, but dispatch was requested for repair verification or cooperative testing, and the circuit did not exceed maintenance limits.
- 18.15.5 If CLEC issues a trouble report allowing **SBC-13STATE** access to the End User's premises and **SBC-13STATE** personnel are dispatched but denied access to the premises, then Time and Material charges will apply for the period of time that **SBC-13STATE** personnel are dispatched. Subsequently, if **SBC-13STATE** personnel are allowed access to the premises, these charges will still apply.
- 18.15.6 Time and Material charges apply on a first and additional basis for each half-hour or fraction thereof. If more than one technician is dispatched in conjunction with the same trouble report, the total time for all technicians dispatched will be aggregated prior to the distribution of time between the "First Half Hour or Fraction Thereof" and "Each Additional Half Hour or Fraction Thereof" rate categories. Basic Time is work-related efforts of **SBC-13STATE** performed during normally scheduled working hours on a normally scheduled workday. Overtime is work-related efforts of **SBC-13STATE** performed on a normally scheduled workday, but outside of normally scheduled working hours. Premium Time is work related efforts of **SBC-13STATE** performed other than on a normally scheduled workday.
- 18.15.7 If CLEC requests or approves a **SBC-13STATE** technician to perform services in excess of or not otherwise contemplated by the nonrecurring charges herein, CLEC will pay Time and Material charges for any additional work to perform such services, including requests for installation or conversion outside of normally scheduled working hours.

19. **RECONFIGURATION**

- 19.1 **SBC-13STATE** will reconfigure existing qualifying special access services to combinations of unbundled loop and transport upon terms and conditions consistent with the Supplemental Order Clarification released by the FCC on June 2, 2000 *In the Matter of the Local Competition Provisions of the Telecommunications Act of 1996*, in CC Docket No. 96-98 (FCC 00-183) and with **SBC-13STATE**'s processes to implement that Order, as set forth on the CLEC website.

20. **RESERVATION OF RIGHTS**

- 20.1 **SBC-13STATE**'s provision of UNEs identified in this Agreement is subject to the provisions of the Federal Act, including but not limited to, Section 251(d). The Parties acknowledge and agree that on May 24, 2002,

the D.C. Circuit issued its decision in *United States Telecom Association, et. al v. FCC*, 290 F.3d 415 (D.C. Cir. 2002) ("USTA decision"), in which the Court granted the petitions for review of the Federal Communications Commission's ("FCC") Third Report and Order and Fourth Further Notice of Proposed Rulemaking in CC Docket No. 96-98 (FCC 99-238) ("the UNE Remand Order") and the FCC's Third Report and Order in CC Docket No. 98-147 and Fourth Report and Order in CC Docket No. 96-98 (FCC 99-355) (rel. Dec. 9, 1999) ("the Line Sharing Order"), and vacated and remanded the UNE Remand and Line Sharing Orders in accordance with the decision. In addition, the FCC adopted its Triennial Review Order on February 20, 2003, on remand from the USTA decision and pursuant to the FCC's Notice of Proposed Rulemaking, *Review of Section 251 Unbundling Obligations of Incumbent Local Exchange Carriers*, CC Docket No. 01-338 (FCC 01-361) (rel. Dec. 20, 2001). Further, the FCC issued its Order *In the Matter of the Local Competition Provisions of the Telecommunications Act of 1996*, 15 FCC Rcd 1760, (FCC 99-370) (rel. Nov. 24, 1999), including its Supplemental Order Clarification, (FCC 00-183), (rel. June 2, 2000), in CC Docket 96-98 (collectively the "Orders"). By entering into this Agreement which makes available certain UNEs, or any Amendment to this Agreement, neither Party waives any of its rights with respect to the Orders or any other government action, including but not limited each Party's right to dispute whether any UNEs identified in the Agreement must be provided under Section 251(c)(3) and Section 251(d) of the Act, and under this Agreement. In the event that a state or federal regulatory or legislative body or a court of competent jurisdiction, in any proceeding finds, rules and/or otherwise orders that any of the UNEs and/or UNE combinations provided for under this Agreement do not meet the necessary and impair standards set forth in Section 251(d)(2) of the Act, the affected provision will be immediately invalidated, modified or stayed as required to effectuate the subject order upon the written request of either Party ("Written Notice"). In such event, the Parties shall have sixty (60) days from the Written Notice to attempt to negotiate and arrive at an agreement on the appropriate conforming modifications required to the Agreement. If the Parties are unable to agree upon the conforming modifications required within sixty (60) days from the Written Notice, any disputes between the Parties concerning the interpretations of the actions required or the provisions affected by such order shall be handled under the Dispute Resolution Procedures set forth in this Agreement.

21. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS

- 21.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions, interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.